

## **11.1 List of Preparers**

This document was prepared by:

Andy Applegate, New England Fishery Management Council (NEFMC)  
Pat Fiorelli, NEFMC  
Dr. Demet Haksever, NEFMC  
Leslie-Ann McGee, NEFMC  
Dr. Julie Olsen, Northeast Fisheries Science Center (NEFSC)

In addition, the following members of the staffs of NMFS and the New England Fishery Management Council provided data, draft text and comments for the Framework 17 document:

Pete Christopher, Northeast Region (NERO)  
Todd DuBois, NMFS Law Enforcement Division in New Bedford  
Chris Kellogg, NEFMC  
Gino Moro, NERO  
Kurt Wilhelm, NERO

## **11.2 Agencies Consulted**

The following agencies were consulted in the preparation of this document:

Mid-Atlantic Fishery Management Council  
New England Fishery Management Council, which includes representatives from the following additional organizations:  
Connecticut Department of Environmental Protection  
Rhode Island Department of Environmental Management  
Massachusetts Division of Marine Fisheries  
New Hampshire Fish and Game  
Maine Department of Marine Resources  
National Marine Fisheries Service, NOAA, Department of Commerce  
United States Coast Guard, Department of Homeland Security

## **12 LITERATURE CITED**

- Abernathy, A. (ed). 1989. Description of the Mid-Atlantic environment. U.S. Dept. of the Interior, Minerals Management Service, Herndon, VA. 167 p. plus appendices.
- Able, K.W. and A.M. Muzeni. 2002. An evaluation of the impact of mobile fishing gear on Tilefish (*Lopholatilus chamaeleonticeps*) habitat: review of archived video images from submersibles. Final Report to the Mid-Atlantic Fisheries Management Council. Rutgers University, Institute of Marine and Coastal Science Marine Field Station. Tuckerton, NJ. 28p.
- Able, K.W. and M.P. Fahay. 1998. The First Year of Life in Estuarine Fishes in the Middle Atlantic Bight. Rutgers University Press, New Brunswick, NJ. 342 p.
- Aguilar, R., J. Mas, and X. Pastor. 1995. Impact of the Spanish swordfish longline fisheries on the loggerhead sea turtle, *Caretta caretta*, population in the western Mediterranean. U.S. Dep. Commer. NOAA Tech Memo. NMFS-SEFSC-361:1-6.

- Almeida, F., L. Arlen, P. Auster, J. Cross, J. Lindholm, J. Link, D. Packer, A. Paulson, R. Reid, and P. Valentine. 2000. The effects of marine protected areas on fish and benthic fauna: the Georges Bank closed area II example. Poster presented at American Fisheries Society 130th Annual Meeting, St. Louis, MO, August 20-24, 2000.
- Altobello, M. A., D. A. Storey, and J. M. Conrad. 1977. The Atlantic sea scallop fishery: a descriptive and economic analysis. *Mass. Agric. Expt. Sta. Res. Bull.* 643. 80 p.
- Applegate, A., S. Cadrin, J. Hoenig, C. Moore, S. Murawski, and E. Pikitch. 1998. Evaluation of existing overfishing definitions and recommendations for new overfishing definitions to comply with the Sustainable Fisheries Act. New England Fisheries Management Council Report. Saugus, MA 179 pp.
- Ardizzone, G.D., P. Tucci, A. Somaschini, and A. Bellauscio. 2000. Is bottom trawling partly responsible for the regression of *Posidonia oceanica* meadows in the Mediterranean Sea? Pp. 37-46 In: M.J. Kaiser and S.J. de Groot. *The Effects of Fishing on Non-Target Species and Habitats*. Blackwell Science.
- Atkinson, D.B., G.A. Rose, E.F. Murphy, and C.A. Bishop. 1997. Distribution changes and abundance of northern cod (*Gadus morhua*), 1981-1993. *Can. J. Fish. and Aq. Sci.* 54 (Suppl. 1):123-128.
- Auster, P.J. 1998. A conceptual model of the impacts of fishing gear on the integrity of fish habitats. *Conservation Biology* 12(6): 1198-1203.
- Auster, P.J., K. Joy and P.C. Valentine. 2001. Fish species and community distributions as proxies for seafloor habitat distributions: the Stellwagen Bank National Marine Sanctuary example (Northwest Atlantic, Gulf of Maine). *Environmental Biology of Fishes* 60:331-346.
- Auster, P.J. and R.W. Langton. 1999. The effects of fishing on fish habitat. Pp. 150-187 in: L. Benaka (ed.). *Fish habitat: essential fish habitat and rehabilitation*. American Fisheries Society, Symposium 22, Bethesda, Maryland.
- Auster, P.J., J. Lindholm and P.C. Valentine. In prep. Primary and secondary habitats of juvenile Acadian redfish (*Sebastes faciatius*): patterns of differential survival or elements of a redfish pump? To be submitted to *Environmental Biology of Fishes*.
- Auster, P.J., J. Lindholm, S. Schaub, G. Funnel, L.S. Kaufman, and P.C. Valentine. In press. Use of sand wave habitats by silver hake *Merluccius bilinearis* (Mitchill). *J. Fish Biology*.
- Auster, P.J., R.J. Malatesta, and C.L.S. Donaldson. 1997. Distributional responses to small-scale variability by early juvenile silver hake, *Merluccius bilinearis*. *Environ. Biol. Fishes* 50: 195-200.
- Auster, P.J., R.J. Malatesta, R.W. Langton, L. Watling, P.C. Valentine, C.L.S. Donaldson, E.W. Langton, A.N. Shepard, and I.G. Babb. 1996. The impacts of mobile fishing gear on seafloor habitats in the Gulf of Maine (northwest Atlantic): implications for conservation of fish populations. *Reviews in Fisheries Science* 4(2):185-202.
- Auster, P.J., R.J. Malatesta, and S.C. LaRosa. 1995. Patterns of microhabitat utilization by mobile megafauna on the southern New England (USA) continental shelf and slope. *Marine Ecology Progress Series.* 127:77-85.

- Auster, P.J., R.J. Malatesta, S.C. LaRosa, R.A. Cooper, and L.L. Stewart. 1991. Microhabitat utilization by the megafaunal assemblage at a low relief outer continental shelf site - Middle Atlantic Bight, USA. *Journal of Northwest Atlantic Fisheries Science*. 11:59-69.
- Auster, P.J., C. Michalopoulos, P.C. Valentine, and R.J. Malatesta. 1998b. Delineating and monitoring habitat management units in a temperate deep-water marine protected area. Pages 169-185 in N.W.P. Munro and J.H.M. Willison, editors. *Linking Protected Areas with Working Landscapes, Conserving Biodiversity*. Science and Management of Protected Areas Association, Wolfville, Nova Scotia.
- Azarovitz, T.R. 1981. A brief historical review of the Woods Hole Laboratory trawl survey time series, p. 62-67. In: Dobuleday, W.G., and D. Rivard (eds.), *Bottom Trawl Surveys*. Canadian Special Publication in Fisheries and Aquatic Science. 58:273 p.
- Backus, R.H. and D. Bourne (eds.). 1987. *Georges Bank*. MIT Press, Cambridge, MA. 593 p.
- Baird, F. T., Jr. 1953a. Observations on the early life history of the giant sea scallop (*Pecten magellanicus*). *Maine Dep. Sea and Shore Fish. Res. Bull. No. 14*. 7 p.
- Baird, F.T. 1953b. Migration of the deep sea scallop (*Pecten magellanicus*). *Maine Dept. Sea and Shore Fisheries Res. Bull. 14*: 1-7.
- Baird, F. T. 1954. Migration of the deep sea scallop (*Placopecten magellanicus*). *Maine Dep. Sea Shore Fish. Circ. 14*. 8 pp.
- Ball, B., B. Munday, and I. Tuck. 2000. Effects of otter trawling on the benthos and environment in muddy sediments. Pp. 69-82 in M.J. Kaiser and S.J. de Groot. *The Effects of Fishing on Non-target Species and Habitats*. Blackwell Science.
- Baranov, F.I. 1918. On the question of the biological basis of fisheries. *Nauchn. Issled. Ikhtiologicheskii Inst. Izv.* 1:81-128.
- Barbeau, M.A. and R.E. Scheibling. 1994. Behavioral mechanisms of prey size selection by sea stars (*Asterias vulgaris* Verrill) and crabs (*Cancer irroratus* Say) preying on juvenile sea scallops (*Placopecten magellanicus* Gmelin). *J. Exp. Mar. Biol. Ecol.* 180: 103-136.
- Barber, B.J., R. Getchell, S. Shumway, and D. Schick 1988. Reduced fecundity in a deep-water population of the giant scallop *Placopecten magellanicus* in the Gulf of Maine, USA. *Marine Ecol. Progr. Ser.* 42: 207-212.
- Barlow, J., and P. J. Clapham. 1997. A new birth-interval approach to estimating demographic parameters of humpback whales. *Ecology*, 78: 535-546. Swingle, W.M., S.G. Barco, T.D. Pitchford, W.A. McLellan, and D.A. Pabst. 1993. Appearance of juvenile humpback whales feeding in the nearshore waters of Virginia. *Mar. Mamm. Sci.* 9: 309-315.
- Barnes, D., K. Chytalo, and S. Hendrickson. 1991. *Final Policy and Generic Environmental Impact Statement on Management of Shellfish in Uncertified Areas Program*. NY Department of Environment and Conservation. 79 p.
- Barnette, M.C. 2001. A review of the fishing gear utilized within the Southeast Region and their potential impacts on essential fish habitat. NOAA Technical Memorandum NMFS-SEFSC-449, 62pp.
- Baum, E. 1997. *Maine Atlantic Salmon, A National Treasure*. Atlantic Salmon Unlimited, Hermon, Maine. 224 pp.

- Beardsley, R.C., B. Butman, W.R. Geyer, and P. Smith. 1996. Physical oceanography of the Gulf of Maine: an update. Pp. 39-52 in: Wallace, G.T. and E.F. Braasch (eds). Proceedings of the Gulf of Maine Ecosystem Dynamics Scientific Symposium and Workshop. Regional Association for Research on the Gulf of Maine (RARGOM) Report 97-1.
- Bergman, M.J.N., and J.W. Van Santbrink 2000. Fishing mortality of populations of megafauna in sandy sediments. Pp. 49-68 in M.J. Kaiser and S. J. de Groot. The effects of fishing on non-target species and habitats. Blackwell Science.
- Bigelow, H.B. and W.C. Schroeder. 1953. Fishes of the Gulf of Maine. U.S. Fish Wildl. Serv., Fish.Bull. 53. 577 p.
- Bjorndal, K.A. 1997. Foraging ecology and nutrition of sea turtles. Pp. 199-233 In: Lutz, P.L. and J.A. Muscik, eds., The Biology of Sea Turtles. CRC Press, New York. 432 pp.
- Black, K.P. and G.D. Parry. 1994. Sediment transport rates and sediment disturbance due to scallop dredging in Port Phillip Bay. *Memoirs of the Queensland Museum* 36(2):327-341.
- Black, K.P. and G.D. Parry. 1999. Entrainment, dispersal, and settlement of scallop dredge sediment plumes: field measurements and numerical modelling. *Canadian Journal of Fisheries and Aquatic Science* 56:2271-2281.
- Boesch, D.F. 1979. Benthic ecological studies: macrobenthos. Chapter 6 in: Middle Atlantic outer continental shelf environmental studies. Conducted by Virginia Institute of Marine Studies under contract AA550-CT6062 with the Bureau of Land Management. 301 p.
- Bolten, A.B., K.A. Bjorndal, and H.R. Martins. 1994. Life history model for the loggerhead sea turtle (*Caretta caretta*) populations in the Atlantic: Potential impacts of a longline fishery. US, Dep. Commer. NOAA Tech. Memo. NMFS-SEFSC-201:48-55.
- Boulva, J. and I.A. McLaren. 1979. Biology of the harbor seal, *Phoca vitulina*, in eastern Canada. *Bull. Fish. Res. Bd. Can.* 200:1-24.
- Bourne, N. 1964. Scallops and the offshore fishery of the Maritimes. *Fish. Res. Board Can. Bull. No.* 145. 60 p.
- Bourne, N. 1965. A comparison of catches by 3 and 4 inch rings on offshore scallop drags. *J. Fish. Res. Bd. Canada*, 22(2): 313-333.
- Bradshaw, C., L.O. Veale, A.S. Hill, and A.R. Brand. 2000. The effects of scallop dredging on gravelly seabed communities. Pp. 83-104 in M.J. Kaiser and S.J. de Groot. The Effects of Fishing on Non-target Species and Habitats. Blackwell Science.
- Bradshaw, C., L.O. Veale, and A.R. Brand. 2002. The role of scallop-dredge disturbance in long-term changes in Irish Sea benthic communities: a re-analysis of an historical dataset. *Journal of Sea Research* 47:161-184.
- Bradshaw, C., L.O. Veale, A.S. Hill, and A.R. Brand. 2001. The effect of scallop dredging on Irish Sea benthos: experiments using a closed area. *Hydrobiologia* 465:129-138.
- Brooks, D.A. 1996. Physical oceanography of the shelf and slope seas from Cape Hatteras to Georges Bank: A brief overview. Pp. 47-75 in: Sherman, K., N.A. Jaworski, and T.J. Smayda (eds). The Northeast Shelf Ecosystem – Assessment, Sustainability, and Management. Blackwell Science, Cambridge, MA. 564 p.

- Brown, B. 1993. A classification system of marine and estuarine habitats in Maine: An ecosystem approach to habitats. Part I: Benthic Habitats. Maine Natural Areas Program, Dept. of Economic and Community Development, Augusta, ME. 51 p. + 1 appendix.
- Brown, W.S. and J.A. Moody. 1987. Tides. Pages 100-107 in R.H. Backus, editor. Georges Bank. MIT Press, Boston.
- Brust, Jeffrey C., William D. DuPaul and James E. Kirkley. 2001. The effects of a regulatory gear restriction on the recruiting year class in the sea scallop, *Placopecten magellanicus* (Gmelin, 1791) fishery. *Journal of Shellfish Research* 20(3).
- Brylinsky, M., J. Gibson, and D.C. Gordon, Jr. 1994. Impacts of flounder trawls on the intertidal habitat and community of the Minas Basin, Bay of Fundy. *Canadian Journal of Fisheries and Aquatic Sciences* 51:650-661.
- Burgess, G.H. 2002. Spiny Dogfishes. Family Squalidae. In: B.B. Collette and G. Klein-MacPhee, eds. *Bigelow and Schroeders's Fishes of the Gulf of Maine*. 3rd Edition. Smithsonian Institution Press, Washington, D.C. 748p.
- Butcher, T., J. Matthews, J. Glaister, and G. Hamer. 1981. Study suggests scallop dredges causing few problems in Jervis Bay. *Australian Fisheries* 40():9-12.
- Butman, V., M. Noble and J. Moody 1982. Observations of near-bottom currents at the shelf break near Wilmington Canyon in the Mid-Atlantic outer continental shelf area: results of 1978-1979 field seasons, U.S. Geol. Survey Final Report to U.S. Bureau of Land Management: 3-1-3-58.
- Caddy, J. F. 1968. Underwater observations on scallop (*Placopecten magellanicus*) behavior and drag efficiency. *J. Fish. Res. Board Can.* 25:2123-2141.
- Caddy, J. F. 1970. A method of surveying scallop populations from a submersible. *J. Fish. Res. Board Can.* 27: 535-549.
- Caddy, J. F. 1971a. Recent scallop recruitment and apparent reduction in cull size by the Canadian fleet on Georges Bank. *Int. Comm. Northwest Atl. Fish. Redb. Part III*: 147-155.
- Caddy, J. F. 1971b. Efficiency and selectivity of the Canadian offshore scallop dredge. *Int. Council for the Exploration of the Sea. Unpub. Rept.* 8 p.
- Caddy, J. F. 1972. Progressive loss of byssus attachment with size in the sea scallop, *Placopecten magellanicus* (Gmelin). *J. Exp. Mar. Biol. Ecol.* 9: 179-190.
- Caddy, J. F. 1973. Underwater observations on tracks of dredges and trawls and some effects of dredging on a scallop ground. *J. Fish. Res. Board Can.* 30: 173-180.
- Caddy, J.F. 1975. Spatial models for an exploited shellfish population, and its application to the Georges Bank scallop fishery. *J. Fish. Res. Bd. Can.* 32:1305-1328.
- Cahoon, L.B. 1999. The role of benthic microalgae in neritic ecosystems. *Oceanography and Marine Biology* 37:47-86.
- Canadian Department of Fisheries and Ocean. 1993. Seabed disturbances from fishing activities. Unpublished Report. Canadian Department of Fisheries and Oceans. Scotia-Fundy Region. Industry Services and Native Fisheries Branch. 4 p.
- Cappo, M., D.M. Alongi, D. Williams, and N. Duke. 1998. A review and synthesis of Australian fisheries habitat research. Volume 2: Scoping Review, Issue 4: Effects of Harvesting on Biodiversity and Ecosystems. FRDC 95/055.

- Cargnelli, L.M., S.J. Griesbach, C. McBride, C.A. Zetlin, and W.W. Morse. 1999a. Essential fish habitat source document: longfin inshore squid, *Loligo pealeii*, life history and habitat characteristics. NOAA Tech. Mem. NMFS-NE-146. National Marine Fisheries Service Northeast Fisheries Science Center, Woods Hole, MA. 27 p.
- Cargnelli, L.M., S.J. Griesbach, and W.W. Morse. 1999g. Essential fish habitat source document: Atlantic halibut, *Hippoglossus hippoglossus*, life history and habitat characteristics. NOAA Tech. Mem. NMFS-NE-125. National Marine Fisheries Service Northeast Fisheries Science Center, Woods Hole, MA. 17 p.
- Cargnelli, L.M., S.J. Griesbach, D.B. Packer, P.L. Berrien, D.L. Johnson and W.W. Morse. 1999d. Essential fish habitat source document: pollock, *Pollachius virens*, life history and habitat characteristics. NOAA Tech. Mem. NMFS-NE-131. National Marine Fisheries Service Northeast Fisheries Science Center, Woods Hole, MA. 30 p.
- Cargnelli, L.M., S.J. Griesbach, D.B. Packer, P.L. Berrien, W.W. Morse and D.L. Johnson. 1999e. Essential fish habitat source document: witch flounder, *Glyptocephalus cynoglossus*, life history and habitat characteristics. NOAA Tech. Mem. NMFS-NE-139. National Marine Fisheries Service Northeast Fisheries Science Center, Woods Hole, MA. 29 p.
- Cargnelli, L.M., S.J. Griesbach, P.L. Berrien, W.W. Morse, and D.L. Johnson. 1999f. Essential fish habitat source document: haddock, *Melanogrammus aeglefinus*, life history and habitat characteristics. NOAA Tech. Mem. NMFS-NE-128. National Marine Fisheries Service Northeast Fisheries Science Center, Woods Hole, MA. 31 p.
- Cargnelli, L.M., S.J. Griesbach, D.B. Packer, and E. Weissberger. 1999b. Essential fish habitat source document: ocean quahog, *Artica islandica*, life history and habitat characteristics. NOAA Tech. Mem. NMFS-NE-148. National Marine Fisheries Service Northeast Fisheries Science Center, Woods Hole, MA. 12 p.
- Cargnelli, L.M., S.J. Griesbach, D.B. Packer, and E. Weissberger. 1999c. Essential fish habitat source document: Atlantic surfclam, *Spisula solidissima*, life history and habitat characteristics. NOAA Tech. Mem. NMFS-NE-148. National Marine Fisheries Service Northeast Fisheries Science Center, Woods Hole, MA. 13 p.
- Carr, H.A. and H. Milliken. 1998. Conservation engineering: options to minimize fishing's impacts to the sea floor. In: Effects of Fishing Gear on the Sea Floor of New England (E.L. Dorsey and J. Pederson eds). Conservation Law Foundation, Boston, Massachusetts.
- Caruso, J.H. 2002. Goosfishes or Monkfishes. Family Lophiidae. In: B.B. Collette and G. Klein-MacPhee, eds. Bigelow and Schroeders's Fishes of the Gulf of Maine. 3rd Edition. Smithsonian Institution Press, Washington, D.C. 748p.
- Cetacean and Turtle Assessment Program (CeTAP). 1982. Final report or the cetacean and turtle assessment program, University of Rhode Island, to Bureau of Land Management, U.S. Department of the Interior. Ref. No. AA551-CT8-48. 568 pp.
- Chang, S., P.L. Berrien, D.L. Johnson, and W.W. Morse. 1999b. Essential fish habitat source document: windowpane, *Scopthalmus aquosus*, life history and habitat characteristics. NOAA Tech. Mem. NMFS-NE-137. National Marine Fisheries Service Northeast Fisheries Science Center, Woods Hole, MA. 32 p.
- Chang, S., P.L. Berrien, D.L. Johnson, and C.A. Zetlin. 1999a. Essential fish habitat source document: offshore hake, *Merluccius albidus*, life history and habitat characteristics. NOAA Tech. Mem.

- NMFS-NE-130. National Marine Fisheries Service Northeast Fisheries Science Center, Woods Hole, MA. 24 p.
- Chang, S., W.W. Morse, and P.L. Berrien. 1999c. Essential fish habitat source document: white hake, *Urophycis tenuis*, life history and habitat characteristics. NOAA Tech. Mem. NMFS-NE-136. National Marine Fisheries Service Northeast Fisheries Science Center, Woods Hole, MA. 23 p.
- Churchill, J.H. 1989. The effect of commercial trawling on sediment resuspension and transport over the Middle Atlantic Bight continental shelf. *Continental Shelf Research* 9(9):841-864.
- Clark, S. and O'Boyle, R. 2001. Proceedings of the 14th Canada – USA Scientific Discussions, January 22-25, 2001. NE Fish. Sci. Ctr. Ref. Doc. 01-07. 51 pp.
- Clarke, R. 1954. Open boat whaling in the Azores: the history and present methods of a relic history. *Discovery Rep.* 26:281-354.
- Coen, L.D. 1995. A review of the potential impacts of mechanical harvesting on subtidal and intertidal shellfish resources. Unpublished Report. South Carolina Department of Natural Resources, Marine Resources Research Institute.
- Collie, J.S. 1998. Studies in New England of fishing gear impacts on the sea floor. Pp. 53-62 In: E.M. Dorsey and J. Pederson, editors. *Effect of Fishing Gear on the Sea Floor of New England*. Conservation Law Foundation. Boston, Massachusetts. 160 p.
- Collie, J.S., G.A. Escanero, and P.C. Valentine. 1997. Effects of bottom fishing on the benthic megafauna of Georges Bank. *Marine Ecology Progress Series* 155(0):159-172.
- Collie, J.S., S.J. Hall, M.J. Kaiser, and I.R. Poiners. 2000. A quantitative analysis of fishing impacts on shelf-sea benthos. *Journal of Animal Ecology* 69:785-798.
- Colvocoresses, J.A. and J.A. Musik. 1983. Species associations and community composition of middle Atlantic bight continental shelf demersal fishes. *U.S. Fisheries Bulletin* 82(2):295-313.
- Cook, S.K. 1988. Physical oceanography of the middle Atlantic bight. Pp. 1-50 in: A.L. Pacheco (ed). *Characterization of the middle Atlantic water management unit of the northeast regional action plan*. NOAA Technical Memorandum NMFS-F/NEC-56. Woods Hole, MA. 322 p.
- Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of wetlands and deepwater habitats of the United States. U.S. Fish and Wildlife Service Publication FWS/OBS-79/31. Washington, DC. 103 p.
- Creaser, E.P., Jr., D.A. Clifford, M.J. Hogan and D.B. Sampson. 1983. A commercial sampling program for sandworms, *Nereis virens* Sars, and bloodworms, *Glycera dibranchiata* Ehrens, harvested along the Maine Tidal Coast. NOAA Tech. Rep. NMFS SSRF-767, 56 pp
- Crouse, D.T. 1999. The consequences of delayed maturity in a human-dominated world. *American Fisheries Society Symposium*. 23:195-202.
- Culliney, J.L. 1974. Larval development of the giant scallop *Placopecten magellanicus* (Gmelin). *Biol. Bull. (Woods Hole)* 147: 321-332.
- Currie, D.R. and G.D. Parry. 1996. Effects of scallop dredging on a soft sediment community: a large-scale experimental study. *Marine Ecology Progress Series* 134:131-150.

- Currie, D.R. and G.D. Parry. 1999. Impacts and efficiency of scallop dredging on different soft substrates. *Canadian Journal of Fisheries and Aquatic Science* 56:539-550.
- Dagnum, C. 1985. Lorenz curve. P. 156-161 In: S. Kotz and N.L. Johnson (eds.) *Encyclopedia of statistical sciences*. Vol. 5. Wiley and Sons, New York.
- DeAlteris, J. 1998. Unpublished Manuscript. Training Manual: Fisheries Science and Technology, prepared for the NOAA Corps Officer Program. University of Rhode Island, Department of Fisheries. Kingston, RI. 34 p.
- DeAlteris, J., L. Skrobe, and C. Lipsky. 1999. The significance of seabed disturbance by mobile fishing gear relative to natural processes: a case study in Narragansett Bay, Rhode Island. Pp. 224-237 in L. Benaka, ed. *Fish habitat: essential fish habitat and rehabilitation*. American Fisheries Society, Symposium 22, Bethesda, Maryland.
- Demestre, M., P. Sanchez, and M.J. Kaiser. 2000. The behavioral response of benthic scavengers to otter-trawling disturbance in the Mediterranean. Pp. 121-129 In: M.J. Kaiser and S.J. de Groot (eds.). *The Effects of Fishing on Non-target Species and Habitats*. Blackwell Science.
- Development Sciences, Inc. 1977. Sea Scallop distribution and biological characteristics as reported by fishing skippers. Report to the New England Fishery Management Council, November 10, 1977. Sagamore, MA.
- Dickie, L. M. 1953. Fluctuations in abundance of the giant scallop, *Placopecten magellanicus* (Gmelin), in the Digby area of the Bay of Fundy. *Fish. Res. Board Can. Manusc. Ser. Rep. Biol. Stn.*, No. 526. 148 pp.
- Dickie, L. M. 1955. Fluctuations in abundance of the giant scallop, *Placopecten magellanicus* (Gmelin), in the Digby area of the Bay of Fundy. *J. Fish. Res. Board Can.* 12: 797-857.
- Dickie, L. M. 1958. Effects of high temperature on survival of the giant scallop. *J. Fish. Res. Board Can.* 15: 1189-1211.
- Dickie, L. M., And J. C. Medcof. 1963. Causes of mass mortalities of scallops (*Placopecten magellanicus*) in the southwest Gulf of St. Lawrence. *J. Fish. Res. Board Can.* 20: 451-482.
- Dorsey, E.M. 1998. Geological overview of the sea floor of New England. Pp. 8-14 in: *Effects of fishing gear on the sea floor of New England*, E.M. Dorsey and J. Pederson (eds.). MIT Sea Grant Pub. 98-4.
- Dow, R. L. 1969. Sea scallop fishery. In *The Encyclopedia of Marine Resources*, Frank E. Firth, ed. Van Nostrand Reinhold Co. New York. 616-623 pp.
- Dow, R.L. and F.T. Baird 1960. Scallop resources of the United States Passamaquoddy area. *U.S. Fish. Wildl. Serv. Spec. Sci. Rep.*, Fish. No. 367, 9 p.
- Drabsch, S.L., J.E. Tanner, and S.D. Connell. 2001. Limited infaunal response to experimental trawling in previously untrawled areas. *ICES Journal of Marine Science* 58:1261-1271.
- Drew, S.C., and R.E. Larsen. 1994. Worldwide trawl and dredge study. Unpublished Report. Marine Data Systems. Plymouth, Massachusetts. 8p.
- DuPaul, W. D. and J. E. Kirkley. 1995. Evaluation of Sea Scallop Dredge Ring Size. Contract Report: NOAA, NMFS. Grant #NA36FD0131.

- DuPaul, W. D., J. E. Kirkley and D. B. Rudders. 1999. Scallop gear selectivity and scallop biology: a mismatch in resource management. Abst. National Shellfisheries Association Annual Meeting, Halifax, Nova Scotia.
- DuPaul, William D., David B. Rudders and Kevin D. Goff. 2002. Comparative Analysis of Finfish Bycatch in the Georges Bank and Hudson Canyon Closed Areas Using a 3.5 Inch (88.9 mm) and a 4 Inch (101.6 mm) Ring Sea Scallop (*Placopecten magellanicus*) Dredge. VIMS Marine Resource Report No. 2002-04. Virginia Institute of Marine Science, Gloucester Point, VA 23062.
- DuPaul, William D., David B. Rudders and David W. Kerstetter. 1999. Results of Modifications to Sea Scallop Dredge Twine Tops to Facilitate the Reduction of Finfish Bycatch: Georges Bank Closed Area II Experimental Fishery. VIMS Marine Resource Report No. 99-4. Virginia Institute of Marine Science, Gloucester Point, VA 23062.
- Dyckjaer, S.M., J.K. Jensen, and E. Hoffmann. 1995. Mussel dredging and effects on the marine environment. ICES CM 1995/E:13.
- Edwards, Steve. 1997. Break-even Analysis of Days-at-Sea Reductions in the Atlantic Sea Scallop, *Placopecten magellanicus*, Fishery. Northeast Fisheries Science Center, Woods Hole, Economic Analysis Division.
- Ehrhart, L.M. 1979. A survey of marine turtle nesting at Kennedy Space Center, Cape Canaveral Air Force Station, North Brevard County, Florida, 1-122. Unpublished report to the Div of Mar Fish. St Pete., FL, Flor. Dept. of Nat. Res.
- Eleftheriou, A. and M.R. Robertson. 1992. The effects of experimental scallop dredging on the fauna and physical environment of a shallow sandy community. Netherlands Journal of Sea Research 30:289-299.
- Engel, J. and R. Kvitek 1998. Effects of otter trawling on a benthic community in Monterey Bay National Marine Sanctuary. Conservation Biology 12(6):1204-1214.
- Eno, N.C., D.S. MacDonald, J.A.M. Kinnear, S.C. Amos, C.J. Chapman, R.A. Clark, F.P.D. Bunker, and C. Munro. 2001. Effects of crustacean traps on benthic fauna. ICES Journal of Marine Science 58:11-20.
- Epperly, S.P., J. Braun, and A.J. Chester. 1995a. Aerial surveys for sea turtles in North Carolina inshore waters. Fishery Bulletin 93:254-261.
- Epperly, S.P., J. Braun, A.J. Chester, F.A. Cross, J. Merriner, and P.A. Teater. 1995b. Winter distribution of sea turtles in the vicinity of Cape Hatteras and their interactions with the summer flounder trawl fishery. Bull. Mar. Sci. 56(2):519-540.
- Epperly, S.P., J. Braun, and A. Veishlow. 1995c. Sea turtles in North Carolina waters. Cons. Biol. 9(2): 384-394.
- Ernst, C.H. and R.W. Barbour. 1972. Turtles of the United States. Univ. Press of Kentucky, Lexington. 347 pp.
- Everhart, W.H. and W.D. Youngs. 1981. Principles of Fishery Science, Second Edition. Cornell University Press, Ithaca, NY, 349 pp.
- Fahay, M.P., P.L. Berrien, D.L. Johnson, and W.W. Morse. 1999. Essential fish habitat source document: Atlantic cod, *Gadus morhua*, life history and habitat characteristics. NOAA Tech.

Mem. NMFS-NE-124. National Marine Fisheries Service Northeast Fisheries Science Center, Woods Hole, MA. 41 p.

- Floderus, S. and L. Pihl. 1990. Resuspension in the Kattegat: impact of variation in wind climate and fishery. *Estuarine, Coastal and Shelf Science* 31:487-498.
- Fonds, M. and S. Groenewold. 2000. Food subsidies generated by the beam-trawl fishery in the southern North Sea. Pp. 130-150 In: M.J. Kaiser and S.J. de Groot (eds.). *The Effects of Fishing on Non-target Species and Habitats*. Blackwell Science.
- Fonseca, M.S., G.W. Thayer, A.J. Chester and C. Foltz. 1984. Impact of scallop harvesting on eelgrass (*Zostera marina*) meadows: implications for management. *North American Journal of Fisheries Management* 4:286-293.
- Fraser, S., V. Gotceitas, and J. A. Brown. 1996. Interactions between age-classes of Atlantic cod and their distribution among bottom substrates. *Canadian Journal of Fisheries and Aquatic Science* 53:305-314.
- Freese, L., P.J. Auster, J. Heifetz, and B.L. Wing. 1999. Effects of trawling on seafloor habitat and associated invertebrate taxa in the Gulf of Alaska. *Marine Ecology Progress Series* 182:119-126.
- Fretwell, S. and H. Lucas. 1970. On the territorial behavior and other factors influencing habitat distribution in birds. *Acta Biotheoretica* 19: 16-36.
- Frid, C.L.J., R.A. Clark and J.A. Hall. 1999. Long-term changes in the benthos on a heavily fished ground of the NE coast of England. *Marine Ecology Progress Series* 188:13-29.
- Gabriel, W. 1992. Persistence of demersal fish assemblages between Cape Hatteras and Nova Scotia, northwest Atlantic. *Journal of Northwest Atlantic Fisheries Science* 14:29-46.
- Garrison, L.P. 2000. Spatial and dietary overlap in the Georges Bank groundfish community. *Canadian Journal of Fisheries and Aquatic Science*, 57: 1679-1691.
- Gautam, A.B. and A.Kitts. 1996. Documentation for the cost-earnings data base for the Northeast United States commercial fishing vessels. NOAA Memorandum NMFS-F/NEC.
- Georgianna, Daniel and Alan Cass and Peter Amaral. 1999. The Cost of Fishing for Sea Scallops in Northeastern United States. Cooperative Marine Education and Research Program, National Marine Fisheries Service.
- Gerstner, C.L. 1998. Use of substratum ripples for flow refugia by Atlantic cod, *Gadus morhua*. *Environmental Biology of Fishes*, 51(4).
- Gerstner, C.L. and P.W. Webb. 1998. The station-holding performance of the plaice *Pleuronectes platessa* on artificial substratum ripples. *Canadian Journal of Zoology*, 76(2).
- Gibbs, P.J., A.J. Collins, and L.C. Collett. 1980. Effect of otter prawn trawling on the macrobenthos of a sandy substratum in a New South Wales estuary. *Australian Journal of Marine and Freshwater Research* 31:509-516.
- Gilbert, J.R. and N. Guldager. 1998. Status of harbor and gray seal populations in northern New England. Final Report to NMFS, NEFSC, Woods Hole, MA. Coop. Agree. 14-16-009-1557. 13pp.

- Gilkinson, K., M. Paulin, S. Hurley, and P. Schwinghamer. 1998. Impacts of trawl door scouring on infaunal bivalves: results of a physical trawl door model/dense sand interaction. *Journal of Experimental marine Biology and Ecology* 224:291-312.
- Godcharles, M.F. 1971. A study of the effects of a commercial hydraulic clam dredge on benthic communities in estuarine areas. State of Florida Department of Natural Resources Marine Resources Laboratory Technical Series No. 64.
- Goff, G.P. and J.Lien. 1988. Atlantic leatherback turtle, *Dermochelys coriacea*, in cold water off Newfoundland and Labrador. *Can. Field Nat.*102(1):1-5.
- Goff, K. D. 2002. The performance of a dredge with 4 inch rings in the Atlantic Sea Scallop fishery in the context of an area management scheme. M.S. Thesis, Virginia Institute of Marine Science, School of Marine Science, College of William and Mary, Gloucester Point, Virginia.
- Gomez, E.D., A.C. Alcala, and H.T. Yap. 1987. Other fishing methods destructive to coral. pp. 65-75 in *Human Impacts on Coral Reefs: Facts and Recommendations*. Antenne Museum, French Polynesia.
- Gordon, D.C., Jr., P. Schwinghamer, T.W. Rowell, J. Prena, K. Gilkinson, W.P. Vass, and D.L. McKeown. 1998. Studies in eastern Canada on the impact of mobile fishing gear on benthic habitat and communities. Pp. 63-67 In: E.M. Dorsey and J. Pederson, editors. *Effect of Fishing Gear on the Sea Floor of New England*. Conservation Law Foundation. Boston, Massachusetts. 160 p.
- Guthrie, J.F. and C.W. Lewis. 1982. The clam-kicking fishery of North Carolina. *Marine Fisheries Review* 44(1):16-21.
- Hain, J. H. W. 1975. The international regulation of whaling. *Marine Affairs J.* 3: 28-48.
- Hall, S.J. 1999. *The Effects of Fishing on Marine Ecosystems and Communities*. Blackwell Science. Oxford, United Kingdom. 274 p.
- Hall, S.J., D.J. Basford, and M.R. Robertson. 1990. The impact of hydraulic dredging for razor clams *Ensis* sp. On an infaunal community. *Netherlands Journal of Sea Research* 27(1):119-125.
- Hall, S.J. and M. Harding. 1997. Physical disturbance and marine benthic communities: the effects of mechanical harvesting of cockles on non-target benthic infauna. *Journal of Applied Ecology* 34:497-517.
- Hall, S.J., M.R. Robertson, D.J. Basford, and S.D. Heaney. 1993. The possible effects of fishing disturbance in the northern North Sea: an analysis of spatial patterns in community structure around a wreck. *Netherlands Journal of Sea Research* 31(2):201-208.
- Hall-Spencer, J.M. and P.G. Moore. 2000a. Impact of scallop dredging on maerl grounds. In: *Effects of Fishing on Non-Target Species and Habitats: Biological, Conservation, and Socio-economic Issues* (M.J. Kaiser and S.J. de Groot (eds.)). Blackwell Science Ltd., Oxford, England.
- Hamilton, P.K., and C.A. Mayo. 1990. Population characteristics of right whales (*Eubalaena glacialis*) observed in Cape Cod and Massachusetts Bays, 1978-1986. *Rep. Int. Whal. Comm., Special Issue* 12: 203-208.
- Hansson, M., M. Lindegarth, D. Valentinsson and M. Ulmestrand. 2000. Effects of shrimp-trawling on abundance of benthic macrofauna in Gullmarsfjorden, Sweden. *Marine Ecology Progress Series* 198:191-201.

- Hart, D.R. 2001. Individual-based yield-per-recruit analysis, with an application to the Atlantic sea scallop, *Placopecten magellanicus*. *Can. J. Fish. Aquat. Sci.* 58:2351-2358.
- Hart, D.R.. In press. Yield- and biomass-per-recruit analysis for rotational fisheries, with an application to Atlantic sea scallop (*Placopecten magellanicus*). *Fishery Bulletin*, 101:44-57.
- Hayes, D.F., G.L. Raymond, and T.N. McLellan. 1984. Sediment resuspension from dredging activities. Pp. 72-82 In *Proceedings of the ASCE Specialty Conference. Dredging '84*. Clearwater, Florida.
- Hayes, M.L. 1983. Active fish capture methods, in *Fisheries Techniques*. Nielson, L.A. and D.L. Johnson, eds. American Fisheries Society, Bethesda, Maryland.
- Hecker, B. 1990. Variation in megafaunal assemblages on the continental margin south of New England. *Deep-Sea Research* 37(1):37-57.
- Hecker, B. 2001. Pp. 32-36 in: S. Azimi (ed.), *Priority ocean areas for protection in the Mid-Atlantic*. Natural Resources Defense Council, Washington, DC.
- Hecker, B. and G. Blechschmidt. 1979. Epifauna of the northeastern U.S. continental margin. Appendix A in: Hecker, B., G. Blechschmidt, and P. Gibson (eds.), *Epifaunal zonation and community structure in three mid- and North Atlantic canyons*. Final Report for the Canyon Assessment Study in the Mid- and North Atlantic Areas of the U.S. Outer Continental Shelf. U.S. Dept. of the Interior, Bureau of Land Management, Washington, DC., January 11, 1980.
- Hecker, B., D.T. Logan, F.E. Gandarillas, and P.R. Gibson. 1983. Megafaunal assemblages in canyon and slope habitats. Vol. III: Chapter I. Canyon and Slope Processes Study. Final report prepared for U.S. Dept. of the Interior, Minerals Management Service, Washington, D.C.
- Hildebrand, H. 1963. Hallazgo del are de anidacion de la tortuga "lora" *Lepidochelys kempii* (Garman), en la costa occidental del Golfo de Mexico (Rept. Chel.). *Ciencia Mex.*, 22(4):105-112.
- Holling, C.S. 1959. Some characteristics of simple types of predation and parasitism. *Canadian Entomologist* 91:385-398.
- Howell, P.T., D.R. Molnar, and R.B. Harris. 1999. Juvenile winter flounder distribution by habitat type. *Estuaries* 22(4):1090-1095.
- Hubert, W.A. 1983. Passive capture techniques, in *Fisheries Techniques*. Nielson, L.A. and D.L. Johnson, eds. American Fisheries Society, Bethesda, Maryland.
- ICES. 1973. Effects of trawls and dredges on the seabed. International Council for the Exploration of the Sea, Gear and Behavior Committee. ICES CM 1973 /B:2.
- ICES. 1992. Report of the Study Group on Ecosystem Effects of Fishing Activities, Copenhagen, 7-14 April, 1992. International Council for the Exploration of the Sea. Study Group on Ecosystem Effects of Fishing Activities. ICES CM 1992/G:11. 144 p.
- International Whaling Commission (IWC). 1971. Report of the Special Meeting on Sperm Whale Biology and Stock Assessments. *Rep. Int. Whal. Comm.* 21:40-50.
- Jennings, S. and M.J. Kaiser. 1998. The effects of fishing on marine ecosystems. *Advances in Marine Biology* 34:201-352.
- Jennings, S., J.K. Pinnegar, N.V.C. Polunin, K.J. Warr. 2001. Impacts of trawling disturbance on the trophic structure of benthic invertebrate communities. *Marine Ecology Progress Series* 213: 127-142.

- Johannes, R. E. 1957. High temperature as a factor in scallop mass mortalities. MS Rept. Fish. Res. Board Can. Biol. Ser. no. 638. 18 p.
- Johnson, D.L., W.W. Morse, P.L. Berrien, and J.J. Vitaliano. 1999. Essential fish habitat source document: yellowtail flounder, *Limanda ferruginea*, life history and habitat characteristics. NOAA Tech. Mem. NMFS-NE-140. National Marine Fisheries Service Northeast Fisheries Science Center, Woods Hole, MA. 29 p.
- Johnson, K.A. 2002. A review of national and international literature on the effects of fishing on benthic habitats. NOAA Technical Memorandum NMFS-F/SPO-57. 72 p.
- Just, Hueth & Schmitz. 1982. Applied Welfare Economics and Public Policy. Prentice-Hall, Inc., Englewood Cliffs, N.J.
- Kaiser, M.J. 2000. The implications of the effects of fishing on non-target species and habitats. Pp. 383-392 In: M.J. Kaiser and S.J. de Groot (eds.). The Effects of Fishing on Non-target Species and Habitats. Blackwell Science.
- Kaiser, M.J., K. Cheney, F.E. Spence, D.B. Edwards, and K. Radford. 1999. Fishing effects in northeast Atlantic shelf seas: patterns in fishing effort, diversity and community structure. VII. The effects of trawling disturbance on the fauna associated with the tubeheads of serpulid worms. Fisheries Research 40:195-205.
- Kaiser, M.J, J.S. Collie, S.J. Hall, S. Jennings and I.R. Poiner. 2002. Modifications of marine habitats by trawling activities: prognosis and solutions. Fish and Fisheries 3: 114-136.
- Kaiser, M.J., D.B. Edwards and B.E. Spencer. 1996b. Infaunal community changes as a result of commercial clam cultivation and harvesting. Aquatic Living Resources 9:57-63.
- Kaiser, M.J., D.B. Edwards, P.J. Armstrong, K. Radford, N.E.L. Lough, R.P. Flatt, and H.D. Jones. 1998. Changes in megafaunal benthic communities in different habitats after trawling disturbance. ICES Journal of Marine Science 55:353-361.
- Kaiser, M.J., A.S. Hill, K. Ramsay, B.E. Spencer, A.R. Brand, L.O. Veale, K. Prudden, E.I.S. Rees, B.W. Munday, B. Ball, and S.J. Hawkins. 1996a. Benthic disturbance by fishing gear in the Irish Sea: a comparison of beam trawling and scallop dredging. Aquatic Conservation: Marine and Freshwater Ecosystems 6:269-285.
- Kaiser, M.J. and K. Ramsay. 1997. Opportunistic feeding by dabs within areas of trawl disturbance: possible implications for increased survival. Marine Ecology Progress Series 152:307-310.
- Kaiser, M.J., K. Ramsay, C.A. Richardson, F.E. Spence, and A.R. Brand. 2000a. Chronic fishing disturbance has changed shelf sea benthic community structure. Journal of Animal Ecology 69: 494-503.
- Kaiser, M.J., S.I. Rogers and J.R. Ellis. 1999. Importance of benthic habitat complexity for demersal fish assemblages. In L.R. Benaka, editor. Fish Habitat: Essential fish habitat and rehabilitation. American Fisheries Society, Symposium 22, Bethesda, Maryland.
- Kaiser, M.J. and B.E. Spencer. 1993. Opportunistic feeding on benthos by fishes after the passage of a 4-m beam trawl. ICES CM 1993/G:27. 13 p.
- Kaiser, M.J. and B.E. Spencer. 1994. Fish scavenging behavior in recently trawled areas. Marine Ecology Progress Series 112:41-49.

- Kaiser, M.J. and B.E. Spencer. 1996. Behavioural responses of scavengers to beam trawl disturbance. Pp. 116-123 In: S.P.R. Greenstreet and M.S. Tasker, editors. Aquatic Predators and Their Prey. Blackwell Scientific Publications, Oxford.
- Kaiser, M.J., B.E. Spencer, and P.J. Hart. 2000b. Fishing-gear restrictions and conservation of benthic habitat complexity. *Conservation Biology* 14(5):1512-1525.
- Keinath, J.A., J.A. Musick, and R.A. Byles. 1987. Aspects of the biology of Virginia's sea turtles: 1979-1986. *Virginia J. Sci.* 38(4):329-336.
- Kelley, J.T. 1998. Mapping the surficial geology of the western Gulf of Maine. Pp. 15-19 in: Effects of fishing gear on the sea floor of New England, E.M. Dorsey and J. Pederson (eds.). MIT Sea Grant Pub. 98-4.
- Kenchington, E.L.R., J. Prena, K.D. Gilkinson, D.C. Gordon Jr., K. MacIssace, C. Bourbonnais, P.J. Schwinghamer, T.W. Rowell, D.L. McKeown, and W.P. Vass. 2001. Effects of experimental otter trawling on the macrofauna of a sandy bottom ecosystem on the Grand Banks of Newfoundland. *Canadian Journal of Fisheries and Aquatic Science* 58:1043-1057.
- Kenney, R.D., M.A.M. Hyman, R.E. Owen, G.P. Scott, and H.E. Winn. 1986. Estimation of prey densities required by Western North Atlantic right whales. *Mar. Mamm. Sci.* 2(1): 1-13.
- Kenney, R.D., H.E. Winn, and M.C. Macauley. 1995. Cetaceans in the Great South Channel, 1979-1989: right whale (*Eubalaena glacialis*). *Cont. Shelf Res.* 15:385-414.
- Klein-MacPhee, G. 2002a. Righteye Flounders. Family Pleuronictidae. In: B.B. Collette and G. Klein-MacPhee, eds. *Bigelow and Schroeders's Fishes of the Gulf of Maine*. 3rd Edition. Smithsonian Institution Press, Washington, D.C. 748p.
- Klein-MacPhee, G. 2002b. Cods. Family Gadidae. In: B.B. Collette and G. Klein-MacPhee, eds. *Bigelow and Schroeders's Fishes of the Gulf of Maine*. 3rd Edition. Smithsonian Institution Press, Washington, D.C. 748p.
- Klein-MacPhee, G. 2002c. Silver Hakes. Family Merlucciidae. In: B.B. Collette and G. Klein-MacPhee, eds. *Bigelow and Schroeders's Fishes of the Gulf of Maine*. 3rd Edition. Smithsonian Institution Press, Washington, D.C. 748p.
- Klein-MacPhee, G. 2002d. Family Scophthalmidae. In: B.B. Collette and G. Klein-MacPhee, eds. *Bigelow and Schroeders's Fishes of the Gulf of Maine*. 3rd Edition. Smithsonian Institution Press, Washington, D.C. 748p.
- Klein-MacPhee, G. 2002e. Sea Basses. Family Serranidae. In: B.B. Collette and G. Klein-MacPhee, eds. *Bigelow and Schroeders's Fishes of the Gulf of Maine*. 3rd Edition. Smithsonian Institution Press, Washington, D.C. 748p.
- Klein-MacPhee, G. 2002f. Porgies. Family Sparidae. In: B.B. Collette and G. Klein-MacPhee, eds. *Bigelow and Schroeders's Fishes of the Gulf of Maine*. 3rd Edition. Smithsonian Institution Press, Washington, D.C. 748p.
- Klein-MacPhee, G. and B.B. Collette. 2002a. Eelpouts. Family Zoarcidae. In: B.B. Collette and G. Klein-MacPhee, eds. *Bigelow and Schroeders's Fishes of the Gulf of Maine*. 3rd Edition. Smithsonian Institution Press, Washington, D.C. 748p.
- Klein-MacPhee, G. and B.B. Collette. 2002b. Scorpionfishes. Family Scorpaenida. In: B.B. Collette and G. Klein-MacPhee, eds. *Bigelow and Schroeders's Fishes of the Gulf of Maine*. 3rd Edition. Smithsonian Institution Press, Washington, D.C. 748p.

- Klumov, S.K. 1962. The right whale in the Pacific Ocean. In P.I. Usachev (Editor), *Biological marine studies*. Trud. Inst. Okeanogr. 58: 202-297.
- Kreiger, K.J. 2001. Coral (Primnoa) impacted by fishing gear in the Gulf of Alaska. *Proceedings of the First International Symposium on Deep-Sea Corals*. (Also in press in reviewed issue of *Hydrobiologia*).
- Langton, R.W. 1998. The effect of dredge harvesting on eastern oysters and the associated benthic community. Pp. 108-110 in E.M. Dorsey and J. Pederson, editors. *Effect of Fishing Gear on the Sea Floor of New England*. Conservation Law Foundation. Boston, Massachusetts. 160 p.
- Langton, R.W. and W.E. Robinson. 1988. Ecology of the sea scallop, *Placopecten magellanicus* (Gmelin, 1791) in the Gulf of Maine, U.S.A. – a preliminary report. Pp. 243-255 in: *Benthic productivity and marine resources of the Gulf of Maine*, I. Babb and M. Deluca (eds.), National Undersea Research Program Research Report 88-3, U.S. Department of Commerce, Washington, D.C.
- Langton, R.W. and W.E. Robinson. 1990. Faunal associations on scallop grounds in the western Gulf of Maine. *Journal of Experimental Marine Biology and Ecology* 144:157-171.
- Langton, R.W., W.E. Robinson, and D. Schick. 1987. Fecundity and reproductive effort of sea scallops *Placopecten magellanicus* from the Gulf of Maine. *Mar. Ecol. Prog. Ser.* 37: 19-25.
- Larsen, P. F., and R. M. Lee. 1978. Observations on the abundance, distribution and growth of postlarval sea scallops, *Placopecten magellanicus*, on Georges Bank. *The Nautilus* 92(3): 112-116.
- LaSalle, M.W. 1990. Physical and chemical alterations associated with dredging: An overview. Pp. 1-12 In: Simenstad, C.A. (ed.). *Effects of Dredging on Anadromous Pacific Coast Fishes*. Workshop Proceedings, Seattle, September 8-9, 1988. Report of Washington Sea Grant Program.
- Leatherwood, S., and R.R. Reeves. 1983. *The Sierra Club handbook of whales and dolphins*. Sierra Club Books, San Francisco, California. 302 pp.
- Lenihan, H.S. and C.H. Peterson. 1998. How habitat degradation through fishery disturbance enhances impacts of hypoxia on oyster reefs. *Ecological Applications* 8(1):128-140.
- Levin, L.A. 1984. Life history and dispersal patterns in a dense infaunal polychaete assemblage: community structure and response to disturbance. *Ecology* 65(4):1185-1200.
- Lindeboom, H.J., and S.J. de Groot, 1998. Impact II. The effects of different types of fisheries on the North Sea and Irish Sea benthic ecosystems. NIOZ Rapport 1998-1. 404 p.
- Lindholm, J.B., P.J. Auster, M. Ruth, and L. Kaufman. 2001. Juvenile fish responses to variations in seafloor habitats: modeling the effects of fishing and implications for the design of marine protected areas. *Conservation Biology*. 15:424-437.
- Link, J.S., J.K.T. Brodziak (eds.). 2002b. Status of the Northeast U. S. Continental Shelf Ecosystem, A report of the Northeast Fisheries Science Center's Ecosystem Status Working Group. Northeast Fisheries Science Center Reference Document 02-11.
- Link, J.S., L.P. Garrison, and F.P. Almeida. 2002a. Ecological interactions between elasmobranchs and groundfish species on the Northeastern U.S. continental shelf. I. Evaluating predation. *North American Journal of Fisheries Management* 22:550-562.

- Lorenz, M.C. 1905. Methods of measuring the concentration of wealth. *J. Amer. Stat. Assoc.* 9: 209-219.
- Lough, R.G. and D.C. Potter. 1993. Vertical distribution patterns and diel migrations of larval and juvenile haddock *Melanogrammus aeglefinus* and Atlantic cod *Gadus morhua* on Georges Bank. *U.S. Fisheries Bulletin* 91(2):281-303.
- Lutcavage, M. and J.A. Musick. 1985. Aspects of the biology of sea turtles in Virginia. *Copeis* 1985(2): 449-456.
- MacCall, Alec D. 1990. *Dynamic Geography of marine fish populations*. University of Washington Press, Seattle, WA. 153 pp.
- Mackenzie, C. L., Jr. 1977. Mortalities of scallops. In *Oxygen depletion and associated environmental disturbances in the Middle Atlantic Bight in 1976*.
- Mackenzie, C. L., Jr., A. S. Merrill, And F. M. Serchuk. 1978. Sea scallop resources off the northeastern U. S. coast, 1975. *Mar. Fish. Rev.* 40(2): 19-23.
- MacKenzie, C. L. Jr. 1979. Biological and fisheries data on sea scallop, *Placopecten magellanicus* (Gmellin). Tech. Ser. Rpt. 19, NMFS, Sandy Hook Lab., Highlands, NJ
- MacKenzie, C.L., Jr. 1982. Compatibility of invertebrate populations and commercial fishing for ocean quahogs. *North American Journal of Fisheries Management* 2:270-275.
- MacKenzie, C.L., Jr., A.S. Merrill, and F.M. Serchuk 1978. Sea scallop resources off the Northeastern U.S. coast, 1975. *Mar. Fish. Rev.* 40(2):19-23.
- Maier, P.P., P.H. Wendt, W.A. Roumillat, G.H. Steele, M.V. Levisen, and R. Van Dolah. 1995. Effects of subtidal mechanical clam harvesting on tidal creeks. South Carolina Department of Natural Resources, Marine Resources Division. Final Report. 38 p.
- Manderson, J.P., B.A. Phelan, A.W. Stoner and J. Hilbert. 2000. Predator-prey relations between age-1+ summer flounder and age-0 winter flounder: predator diets, prey selection, and effects of sediments and macrophytes. *Journal of Experimental Marine Biology and Ecology* 251(1):17-39.
- Manuel, J.L. and M.J. Dadswell. 1991. Swimming behavior of the juvenile giant scallop, *Placopecten magellanicus*, in relation to size and temperature. *Can. J. Zool.* 69: 2250-2254.
- Mayer, L.M., D.F. Schick, R.H. Findlay and D.L. Rice. 1991. Effects of commercial dragging on sedimentary organic matter. *Marine Environmental Research* 31:249-261.
- Mayo, C.A., and M.K. Marx. 1990. Surface foraging behavior of the North Atlantic right whale, *Eubalaena glacialis*, and associated zooplankton characteristics. *Can. J. Zool.* 68:2214-2220.
- McConnaughey, R.A., K.L. Mier and C.B. Dew. 2000. An examination of chronic trawling on soft bottom benthos of the eastern Bering Sea. *ICES Journal of marine Science* 57:1388-2000.
- McEachran, J.D. 2002. Skates. Family Rajidae. In: B.B. Collette and G. Klein-MacPhee, eds. *Bigelow and Schroeders's Fishes of the Gulf of Maine*. 3rd Edition. Smithsonian Institution Press, Washington, D.C. 748p.
- McGarvey, R., F. M. Serchuk, and I. A. McLaren. 1992. Statistics of reproduction and early life history survival of the Georges Bank sea scallop (*Placopecten magellanicus*) population. *Journal of Northwest Atlantic Fishery Science* 13:83-99.

- McGarvey, R., F. M. Serchuk, and I. A. McLaren. 1993. Spatial and parent-age analysis of stock-recruitment in the Georges Bank sea scallop (*Placopecten magellanicus*) population. *Canadian Journal of Fisheries and Aquatic Sciences* 50:564-574.
- McLoughlin, R.J., P.C. Young, R.B. Martin, and J. Parslow. 1991. The Australian scallop dredge: estimates of catching efficiency and associated indirect fishing mortality. *Fisheries Research*, 11:1-24.
- McMillan, D.G. and W.W. Morse. 1999. Essential fish habitat source document: spiny dogfish *Squalus acanthias*, life history and habitat characteristics. NOAA Tech. Mem. NMFS-NE-150. National Marine Fisheries Service Northeast Fisheries Science Center, Woods Hole, MA. 19 p.
- Medcof, J. C. 1961. Trial introduction of European oysters (*Ostrea edulis*) to Canadian east coast. *Proc. Natl. Shellf. Assoc.* 50: 113-124.
- Medcof, J. C., and N. Bourne. 1964. Causes of mortality of the sea scallop, *Placopecten magellanicus*. *Proc. Natl. Shellf. Assoc.* 53: 33-50.
- Medcof, J.C. and J.F. Caddy. 1971. Underwater observations on the performance of clam dredges of three types. *ICES CM* 1971/B:10.
- Melvin, G.D., M.J. Dadswell, and R.A. Chandler. 1985. Movements of scallops *Placopecten magellanicus* (Gmelin, 1791) (Mollusca: Pectinidae) on Georges Bank. *Can Atlantic. Fish. Sci. Adv. Comm. Res. Doc.* 85/30. 29 pp.
- Merrill, A. S. 1959. A comparison of *Cyclopecten nanus* (Verrill and Bush) and *Placopecten magellanicus* (Gmelin). *Harvard Univ. Museum of Comp. Zoology, Orcas paper on Molluscs* 2: 209-228.
- Merrill, A. S. 1961. Some observations on the growth and survival of organisms on the shell of *Placopecten magellanicus*. *Amer. Malacol. Union Inc. Annu. Rep.* 1961. *Bull.* 28: 4-5.
- Merrill, A. S. 1962. Nest building in *Musculus*. *Bull. Am. Malacol. Union Inc.* 29: 11-12 (Abstract).
- Merrill, A. S. 1967. Shell deformity of mollusks attributable to the hydroid, *Hydractinia echinata*. *U. S. Fish Wildl. Serv. Fish. Bull.* 66: 273-279.
- Merrill, A. S., and J. B. Burch. 1960. Hermaphroditism in the sea scallop, *Placopecten magellanicus* (Gmelin). *Biol. Bull. (Woods Hole, Mass.)* 119: 197-201.
- Merrill, A. S. and R.L. Edwards 1976. Observations on molluscs from a navigation buoy with special emphasis on the sea scallop *Placopecten magellanicus*. *Nautilus* 90: 54-61.
- Merrill, A. S., and J.A. Posgay. 1964. Estimating the natural mortality rate of sea scallop. *Res. Bull. Int. Comm. N.W. Atlantic Fish.* 1:88-106.
- Merrill, A. S., and J. A. Posgay. 1967. Juvenile growth of the sea scallop, *Placopecten magellanicus*. *Amer. Malacol. Union Inc. Annu. Rep.* 1967. 51-52 pp. (Abstract).
- Merrill, A. S., and R. D. Turner. 1963. Nest building in the bivalve mollusk genera *Musculus* and *Lima*. *Veliger* 6: 55-59.
- Messieh, S.N., T.W. Rowel, D.L. Peer, and P.J. Cranford. 1991. The effects of trawling, dredging and ocean dumping on the eastern Canadian continental shelf seabed. *Continental Shelf Research* 11(8-10):1237-1263.

- Meyer, T.L., R.A. Cooper and K.J. Pecci. 1981. The performance and environmental effects of a hydraulic clam dredge. *Marine Fisheries Review* 43(9):14-22.
- Meylan, A., B. Schroeder, and A. Mosier. 1995. Sea turtle nesting activity in the state of Florida. *Fla. Mar. Res. Publ.* 52:1-51.
- Milton, S.L., S. Leone-Kabler, A.A. Schulman. And P.L. Lutz. 1994. Effects of hurricane Andrew on the sea turtle nesting beaches of South Florida. *Bull. Mar. Sci.*, 54(3):974-981.
- Minami, Michael. 2000. Using ArcMap. Environmental Systems Research Institute, Inc., Redlands, CA. 528 p.
- Mirarchi, F. 1998. Bottom trawling on soft substrates. Pp. 80-84 in: *Effects of Fishing Gear on the Sea Floor of New England*, E.L. Dorsey and J. Pederson (eds.). Conservation Law Foundation, Boston, Massachusetts.
- Moran, M.J. and P.C. Stephenson. 2000. Effects of otter trawling on macrobenthos and management of demersal scalefish fisheries on the continental shelf of north-western Australia. *ICES Journal of Marine Science* 57:510-516.
- Morse, W.W., D.L. Johnson, P.L. Berrien, and S.J. Wilk. 1999. Essential fish habitat source document: silver hake *Merluccius bilinearis*, life history and habitat characteristics. NOAA Tech. Mem. NMFS-NE-135. National Marine Fisheries Service Northeast Fisheries Science Center, Woods Hole, MA. 42 p.
- Mountain, D.G., R.W. Langton, and L. Watling. 1994. Oceanic processes and benthic substrates: influences on demersal fish habitats and benthic communities. Pp. 20-25 in: Langton, R.W., J.B. Pearce, and J.A. Gibson (eds). *Selected Living Resources, Habitat Conditions, and Human Perturbations of the Gulf of Maine: Environmental and Ecological Considerations for Fishery Management*. NOAA Technical Memorandum NMFS-NE-106, Woods Hole, MA., 70 p.
- Munroe, T.A. 2002. Herrings. Family Clupeidae. In: B.B. Collette and G. Klein-MacPhee, eds. *Bigelow and Schroeders's Fishes of the Gulf of Maine*. 3rd Edition. Smithsonian Institution Press, Washington, D.C. 748p.
- Murawski, S. A., R. Brown, H.-L. Lai, P. J. Rago, and L. Hendrickson. 2000. Large-scale closed areas as a fishery-management tool in temperate marine ecosystems: the Georges Bank experience. *Bulletin of Marine Science* 66:775-798.
- Murawski, S.A. and F.M. Serchuk. 1989. Environmental effects of offshore dredge fisheries for bivalves. *ICES CM* 1989/K:27. 12 p.
- Murison, L.D., and D.E. Gaskin. 1989. The distribution of right whales and zooplankton in the Bay of Fundy, Canada. *Can. J. Zool.* 67:1411-1420.
- Murphy, T.M. and S.R. Hopkins. 1984. Aerial and ground surveys of marine turtle nesting beaches in the southeast region. U.S. Final Rept. to NMFS-SEFSC. 73pp.
- Musick, J.A. and C.J. Limpus. 1997. Habitat utilization and migration in juvenile sea turtles. Pp 137-164 In: Lutz, P.L. and J.A. Musick, eds., *The Biology of Sea Turtles*. CRC Press, New York. 432 pp.
- Myers, R.A. and N.G. Cadigan. 1995. Was an increase in natural mortality responsible for the collapse of northern cod? *Can. J. Fish. Aquat. Sci.* Vol. 52: 1274-1285.

- Myers, R.A., N. Brodie, N. Barrowman, and R. Bowering. 1995. Changes in concentration of flatfish off Newfoundland from 1971 to 1994. NAFO SCR Doc. 95/58. 14 p.
- Naidu, K. S. 1970. Reproduction and breeding cycle of the giant scallop *Placopecten magellanicus* (Gmelin) in Port au Port Bay, Newfoundland. *Can. J. Zool.* 48: 1003-1012.
- Naidu, K. S. 1991. Sea scallop, *Placopecten magellanicus*. In S.E. Shumway ed. *Scallops: biology, ecology, and aquaculture*. P. 861-897. *Developments in Aquaculture and Fisheries Sciences* 21. Elsevier Science Publishing, B.V., Amsterdam.
- Naidu, K. S. and J. T. Anderson 1984. Aspects of scallop recruitment on St. Pierre Bank in relation to oceanography and implications for resource management. *Can. Atl. Fish. Sci. Adv. Comm. Res. Doc.* 84/29, 9 p.
- National Oceanographic and Atmospheric Administration (NOAA) Fisheries 2001 Endangered Species Act Section 7 consultation on the Issuance of an Exempted Fisheries Permit for the Take of Horseshoe Crabs from the Carl N. Shuster Jr. Horseshoe Crab Reserve. Biological Opinion, September 26.
- NOAA Fisheries 2001 Endangered Species Act Section 7 consultation on the Atlantic Sea Scallop Fishery Management Plan. Biological Opinion, February 24.
- National Research Council. 2002. *Effects of Trawling and Dredging on Seafloor Habitat*. National Academy Press. 126 p.
- New England Fishery Management Council (NEFMC). 1993. Amendment #4 to the Atlantic NEFMC. 1994. Framework Adjustment #1 to the Atlantic Sea Scallop Fishery Management Plan. NEFMC, Saugus, MA.
- NEFMC. 1998. Amendment 7 to the Atlantic Sea Scallop Fishery Management Plan. NEFMC, Saugus, MA. 135 pp.
- NEFMC. 1998a. Final amendment #11 to the northeast multispecies fishery management plan (FMP), Amendment #9 to the Atlantic sea scallop FMP, Amendment #1 to the Atlantic salmon FMP, Components of the proposed Atlantic herring FMP for essential fish habitat. NEFMC, Newburyport, MA. 388 p. plus appendices.
- NEFMC. 1998b. Amendment 9 to the Northeast Multispecies Fishery Management Plan.
- NEFMC. 2000a. Framework Adjustment 13 to the Atlantic Sea Scallop Fishery Management Plan with options for Framework Adjustment 34 to the Northeast Multispecies Fishery Management Plan to Re-open portions of the Groundfish Closed Areas for Scallop fishing.
- NEFMC. 2000. 2000 Scallop Fishery Management Plan SAFE Report. NEFMC, Newburyport, MA ([http://www.nefmc.org/documents/scallop/scallop\\_safe-2000.htm](http://www.nefmc.org/documents/scallop/scallop_safe-2000.htm)).
- NEFMC. 2002. FMP for deep-sea red crab *Chaceon quinque-dens*. Volume I. NEFMC, Newburyport, MA. 446 p.
- NEFMC. 2002s. Framework Adjustment 15 to the Atlantic Sea Scallop Fishery Management Plan and Environmental Assessment to Adjust the Annual DAS Allocation for 2003 and to Continue the Access Program for the Hudson Canyon and VA/NC Areas. NEFMC, Newburyport, MA. 214 pp. Available at [http://www.nefmc.org/scallops/frame/frame\\_15.html](http://www.nefmc.org/scallops/frame/frame_15.html).
- NEFMC. 2003. Final Amendment 10 to the Atlantic Sea Scallop Fishery Management Plan with a Supplemental Environmental Impact Statement, Regulatory Impact Review, and Regulatory

- Flexibility Analysis. NEFMC, Newburyport, MA. Approximately 1100 pages plus 9 appendices. Available at [http://www.nefmc.org/scallops/planamen/a10/final\\_amend\\_10.htm](http://www.nefmc.org/scallops/planamen/a10/final_amend_10.htm).
- NMFS and USFWS. 1991. Recovery plan for the U.S. population of loggerhead turtle. National Marine Fisheries Service, Washington, D.C. 64 p.
- NMFS and USFWS. 1992. Recovery plan for leatherback turtles in the U.S. Caribbean, Atlantic, and Gulf of Mexico. National Marine Fisheries Service, Washington, D.C. 65 pp.
- NMFS and USFWS. 1995. Status reviews for sea turtles listed under the Endangered Species Act of 1973. National Marine Fisheries Service, Silver Spring, Maryland. 139 pp.
- NMFS and USFWS. 1998a. Recovery plan for U.S. population of Atlantic green turtle. National Marine Fisheries Service, Washington, D.C. 52 pp.
- National Marine Fisheries Service. NMFS. 1991. Final recovery plan for the North Atlantic right whale (*Eubalaena glacialis*). Prepared by the Right Whale Recovery Team for the National Marine Fisheries Service, Silver Spring, Maryland. 86 pp.
- NMFS. 1996. 21st Northeast Regional Stock Assessment Workshop, Consensus Summary of Assessments. Northeast Fish. Sci. Ctr. Ref. Doc. 96-05d. 200 p.
- NMFS. 1998a. Draft recovery plans for the fin whale (*Balaenoptera physalus*) and sei whale (*Balaenoptera borealis*). Prepared by R.R. Reeves, G.K. Silber, and P.M. Payne for the National Marine Fisheries Service, Silver Spring, Maryland. July 1998.
- NMFS. 1998b. Recovery plan for the blue whale (*Balaenoptera musculus*). Prepared by Reeves, R.R., P.J. Clapham, and R.L. Brownell, Jr. for the National Marine Fisheries Service, Silver Spring, Maryland. Mitchell, E. 1974. Present status of the northwest Atlantic fin and other whale stocks. Pages 108-169 in W. E. Schevill (ed) *The Whale Problem: A status report*. Harvard University Press. Cambridge, Massachusetts, 419pp.
- NMFS. 2000. 30th Stock Assessment Workshop Report. Woods Hole, MA. April 2000. NMFS-NEFSC Ref.Doc. 00-03.
- NMFS. 2001a. Stock assessments of loggerheads and leatherback sea turtles and an assessment of the impact of the pelagic longline fishery on the loggerhead and leatherback sea turtles of the Western North Atlantic. U.S. Department of Commerce, National Marine Fisheries Service, Miami, FL, SEFSC Contribution PRD-00/01-08; Parts I-III and Appendices I-IV. NOAA Tech. Memo NMFS-SEFSC-455, 343 pp.
- NMFS. 2001b. 32nd Northeast Regional Stock Assessment Workshop, Consensus Summary of Assessments. Northeast Fish. Sci. Ctr. Ref. Doc. 01-05. 289 p.
- NMFS. 2002. Interim Action to Implement Measures to Reduce Overfishing of the Northeast Fishery Complex Under the Northeast Multispecies Fishery Management Plan.
- NMFS. 2004. Sustaining and Rebuilding: National Marine Fisheries Service 2003 Report to Congress. US Dept. Commerce, NOAA, NMFS, Off. Sustainable Fisheries. 24 pp.
- Northeast Region Essential Fish Habitat Steering Committee (NREFHSC). 2002. Workshop on the Effects of Fishing Gear on Marine Habitats Off the Northeastern United States, October 23-25, 2001, Boston, Massachusetts. Northeast Fish Sci Cent Ref Doc 02-01; 86 p.
- Norton, A. H. 1931. Size of the giant scallop (*Placopecten magellanicus* Gmel.). *Nautilus* 44: 99-100. p. 341-364. Technical Series Report No. 3, Northeast Fisheries

- Ogren, L.H. 1988. Biology and ecology of sea turtles. Prepared for the National Marine Fisheries Service, Panama City Laboratory. Sept 7.
- Ohman, M.C., A. Rajasuriya, and O. Linden. 1993. Human disturbance on coral reefs in Sri Lanka: a case study. *Ambio* 22:474-480.
- Orth, R.J., K.A. Moore, D.J. Wilcox and J.R. Fishman. 1998. Chincoteague Bay, Virginia: effectiveness of the SAV sanctuary and revegetation of SAV habitat disturbed by clam dredging. Unpublished Report to the Virginia Marine Resources Commission. 6 p + figures.
- Overholtz, W.J. and A.V. Tyler. 1985. Long-term responses of the demersal fish assemblages of Georges Bank. *U.S. Fisheries Bulletin* 83(4):507-520.
- Packer, D.B., C.A. Zetlin and J.J. Vitaliano. In press (a). Essential fish habitat source document: barndoor skate, *Dipturus laevis*, life history and habitat characteristics. NOAA Tech. Mem. National Marine Fisheries Service Northeast Fisheries Science Center, Woods Hole, MA 20 p.
- Packer, D.B., C.A. Zetlin and J.J. Vitaliano. In press (b). Essential fish habitat source document: clearnose skate, *Raja eglanteria*, life history and habitat characteristics. NOAA Tech. Mem. National Marine Fisheries Service Northeast Fisheries Science Center, Woods Hole, MA.
- Packer, D.B., C.A. Zetlin and J.J. Vitaliano. In press (c). Essential fish habitat source document: little skate, *Leucoraga erinacea*, life history and habitat characteristics. NOAA Tech. Mem. National Marine Fisheries Service Northeast Fisheries Science Center, Woods Hole, MA 56 p.
- Packer, D.B., C.A. Zetlin and J.J. Vitaliano. In press (d). Essential fish habitat source document: rosette skate, *Leucoraga garmani virginica*, life history and habitat characteristics. NOAA Tech. Mem. National Marine Fisheries Service Northeast Fisheries Science Center, Woods Hole, MA.
- Packer, D.B., C.A. Zetlin and J.J. Vitaliano. In press (e). Essential fish habitat source document: smooth skate, *Malacoraga senta*, life history and habitat characteristics. NOAA Tech. Mem. National Marine Fisheries Service Northeast Fisheries Science Center, Woods Hole, MA.
- Packer, D.B., C.A. Zetlin and J.J. Vitaliano. In press (f). Essential fish habitat source document: thorny skate, *Amblyraja radiata*, life history and habitat characteristics. NOAA Tech. Mem. National Marine Fisheries Service Northeast Fisheries Science Center, Woods Hole, MA.
- Packer, D.B., C.A. Zetlin and J.J. Vitaliano. In press (g). Essential fish habitat source document: Winter skate, *Leucoraja ocellata*, life history and habitat characteristics. NOAA Tech. Mem. National Marine Fisheries Service Northeast Fisheries Science Center, Woods Hole, MA.
- Packer, D.B., L.M. Cargnelli, S.J. Griesbach, and S.E. Shumway. 1999(a). Essential fish habitat source document: Atlantic sea scallop, *Placopecten magellanicus*, life history and habitat characteristics. NOAA Tech. Mem. NMFS-NE-134. National Marine Fisheries Service Northeast Fisheries Science Center, Woods Hole, MA. 21 p.
- Packer, D.B., S.J. Griesbach, P.L. Berrien, C.A. Zetlin, D.L. Johnson, and W.W. Morse. 1999b. Essential fish habitat source document: summer flounder, *Paralichthys dentatus*, life history and habitat characteristics. NOAA Tech. Mem. NMFS-NE-151. National Marine Fisheries Service Northeast Fisheries Science Center, Woods Hole, MA. 88 p.
- Parsons G.J., C.R. Warren-Perry, and M.J. Dadswell. 1992. Movements of juvenile sea scallops *Placopecten magellanicus* (Gmelin, 1791) in Passamaquoddy Bay, New Brunswick. *J. Shellfish Res.* 11: 295-297.

- Payne, P.M., D.N. Wiley, S.B. Young, S. Pittman, P.J. Clapham, and J.W. Jossi. 1990. Recent fluctuations in the abundance of baleen whales in the southern Gulf of Maine in relation to changes in selected prey. *Fish. Bull.* 88 (4): 687-696.
- Pella, J.J. and P.K. Tomlinson. 1969. A generalized stock production model. *Bull. Inter-Am. Trop. Tuna Comm.* 13: 419-496.
- Pereira, J.J., R. Goldberg, J.J. Ziskowski, P.L. Berrien, W.W. Morse, and D.L. Johnson. 1999. Essential fish habitat source document: winter flounder, *Pseudopleuronectes americanus*, life history and habitat characteristics. NOAA Tech. Mem. NMFS-NE-138. National Marine Fisheries Service Northeast Fisheries Science Center, Woods Hole, MA. 39 p.
- Perry, S.L., D.P. DeMaster, and G.K. Silber. 1999. The Sperm Whale In: The great whales: History and status of six species listed as endangered under the U.S. Endangered Species Act of 1973. *Mar. Fish. Rev. Special Edition.* 61(1): 59-74.
- Peterson, C.H., W.G. Ambrose Jr., and J.H. Hunt. 1982. A field test of the swimming response of the bay scallop (*Argopecten irradians*) to changing biological factors. *Bull. Mar. Sci.* 32: 939-994.
- Phelan, B.A., J.P. Manderson, A.W. Stoner and A.J. Bejda. 2001. Size-related shifts in the habitat associations of YOY winter flounder: field observations and laboratory experiments with sediments and prey. *Journal of Experimental Marine Biology and Ecology* 257(2):297-315.
- Pikanowski, R.A., W.W. Morse, P.L. Berrien, D.L. Johnson, D.G. McMillan. 1999. Essential fish habitat source document: redfish, *Sebastes* spp., life history and habitat characteristics. NOAA Tech. Mem. NMFS-NE-132. National Marine Fisheries Service Northeast Fisheries Science Center, Woods Hole, MA. 19 p.
- Pilskaln, C.H., J.H. Churchill, and L.M. Mayer. 1998. Resuspension of sediment by bottom trawling in the Gulf of Maine and potential geochemical consequences. *Conservation Biology* 12(6):1223-1229.
- Poppe, L.J., J.S. Schlee, B. Butman, and C.M. Lane. 1989. Map showing distribution of surficial sediment, Gulf of Maine and Georges Bank. U.S. Geological Survey Miscellaneous Investigations Series, Map 1-1986-A.
- Posgay, J. A. 1953. Sea scallop investigations. Sixth report in investigations of the shellfisheries of Massachusetts. Div. Mar. Fish., Dept. of Conserv., Commonwealth of Massachusetts, Boston. 9-24 pp.
- Posgay, J. A. 1957. The range of the sea scallop. *The Nautilus* 71: 55-57.
- Posgay, J. A. 1963. Tagging as a technique in population studies of the sea scallop. *Spec. Publ. Int. Comm. Northwest Atl. Fish.* 44: 268-271.
- Posgay, J. A. 1981. Movement of tagged sea scallops on Georges Bank. *Mar. Fish. Rev.* 43(4): 19-25.
- Posgay, J. A., and K. D. Norman. 1958. An observation on the spawning of the sea scallop, *Placopecten magellanicus* (Gmelin), on Georges Bank. *Limnol. Oceanog.* 3: 478.
- Pranovi, F. and O. Giovanardi. 1994. The impact of hydraulic dredging for short-necked clams, *Tapes* spp., on an infaunal community on the lagoon of Venice. *Scientia Marina* 58(4):345-353.

- Pratt, S. 1973. Benthic fauna. Pp. 5-1 to 5-70 in: Coastal and offshore environmental inventory, Cape Hatteras to Nantucket Shoals. University of Rhode Island, Marine Publication Series No. 2. Kingston, RI.
- Prena, J., P. Schwinghamer, T.W. Rowell, D.C. Gordon, Jr., K.D. Gilkinson, W.P. Vass, and D.L. McKeown. 1999. Experimental otter trawling on a sandy bottom ecosystem of the Grand Banks of Newfoundland: analysis of trawl bycatch and effect on epifauna. *Marine Ecology Progress Series* 181:107-124.
- Pritchard, P.C.H. 1969. Endangered species: Kemp's ridley turtle. *Florida Naturalist*, 49:15-19.
- Ramsay, K., M.J. Kaiser, and R.N. Hughes. 1996. Changes in hermit crab feeding patterns in response to trawling disturbance. *Marine Ecology Progress Series* 144(1-3):63-72.
- Ramsay, K., M.J. Kaiser, and R.N. Hughes. 1998. Responses of benthic scavengers to fishing disturbance by towed gears in different habitats. *Journal of Experimental Marine Biology and Ecology* 224:73-89.
- Rebel, T.P. 1974. Sea turtles and the turtle industry of the West Indies, Florida and the Gulf of Mexico. Univ. Miami Press, Coral Gables, Florida.
- Reeves, R.R., and Mitchell, E. 1988. History of whaling in and near North Carolina. NOAA Tech. Rep. NMFS 65: 28 pp.
- Reid, R.N. and F.W. Steimle. 1988. Pp. 125-160 in: A.L. Pacheco (ed.), Characterization of the middle Atlantic water management unit of the northeast regional action plan. NOAA Technical Memorandum NMFS-F/NEC-56. Woods Hole, MA., 322 p.
- Reid, R.N., L.M. Cargnelli, S.J. Griesbach, D.B. Packer, D.L. Johnson, C.A. Zetline, W.W. Morse and P.L. Berrien. 1999. Essential fish habitat source document: Atlantic herring, *Clupea harengus*, life history and habitat characteristics. NOAA Tech. Mem. NMFS-NE-126. National Marine Fisheries Service Northeast Fisheries Science Center, Woods Hole, MA. 48 p.
- Reimann, B. and E. Hoffman. 1991. Ecological consequences of dredging and bottom trawling in the Limfjord, Denmark. *Marine Ecology Progress Series* 69:171-178.
- Reise, K. 1982. Long term changes in the macrobenthic invertebrate fauna of the Wadden Sea: Are polychaetes about to take over? *Netherlands Journal of Sea Research* 16:29-36.
- Reise, K. and A. Schubert. 1987. Macrobenthic turnover in the subtidal Wadden Sea: the Norderaue revisited after 60 years. *Helgolander Meeresunters* 41:69-82.
- Riesen, W. and K. Reise 1982. Macrobenthos of the subtidal Wadden Sea: revisited after 55 years. *Helgolander Meeresunters* 35:409-423.
- Rijnsdorp, A.D. and P.I. Van Leeuwen. 1996. Changes in growth of North Sea plaice since 1950 in relation to density, eutrophication, beam trawl effort, and temperature. *ICES Journal of Marine Science* 53:1199-1213.
- Rogers, S.I., M.J. Kaiser, and S. Jennings. 1998. Ecosystem effects of demersal fishing: A European perspective. Pp. 68-78 In: E.M. Dorsey and J. Pederson, editors. *Effect of Fishing Gear on the Sea Floor of New England*. Conservation Law Foundation. Boston, Massachusetts. 160 p.
- Root, R.B. 1967. The niche exploitation pattern of the blue-gray gnatcatcher. *Ecol Monogr* 37:317-350.

- Rountree, R.A. and K.W. Able. 1992. Foraging habits, growth, and temporal patterns of salt-marsh creek habitat use by young-of-the-year summer flounder in New Jersey. *Transactions American Fisheries Society* 121(6):765-776.
- Rumohr, H. 1998. Information on impact of trawling on benthos in Kiel Bay. Annex to Eighth Report of the Benthos Ecology Working Group. ICES CM 1989/L:19. p. 80.
- Rumohr, H. and P. Krost. 1991. Experimental evidence of damage to benthos by bottom trawling with special reference to *Arctica islandica*. *Meeresforschung* 33(4):340-345.
- Sainsbury, J.C. 1996. Commercial Fishing methods: An introduction to vessels and gears, 3rd Ed. Fishing News Books, Oxford, England.
- Sainsbury, K.J., R.A. Campbell, and A.W. Whitelaw. 1993. Effects of trawling on the marine habitat on the north west shelf of Australia and implications for sustainable fisheries management. Pp. 137-145 In: D.A. Hancock, ed. *Sustainable Fisheries Through Sustaining Fish Habitat*. Canberra, Australia, Australian Government Publishing Service.
- Sainsbury, K.J., R.A. Campbell, R. Lindholm, and A.W. Whitelaw. 1994. Experimental management of an Australian multispecies fishery: examining the possibility of trawl-induced habitat modification. Pp. 107-112 In: E.K. Pikitch, D.D. Huppert, and M.P. Sissenwine, eds. *Global Trends: Fisheries Management*. American Fisheries Society, Symposium 20, Bethesda, Maryland.
- Sainsbury, K.J., R.A. Campbell, R. Lindholm, and A.W. Whitelaw. 1997. Experimental management of an Australian multispecies fishery: examining the possibility of trawl-induced habitat modification. Pp. 107-112 in E.K. Pikitch, D.D. Huppert, and M.P. Sissenwine, editors. *Global trends: fisheries management*. American Fisheries Society, Symposium 20, Bethesda, Maryland.
- Sanchez, P., M. Demestre, M. Ramon, and M.J. Kaiser. 2000. The impact of otter trawling on mud communities in the northwestern Mediterranean. *ICES Journal of Marine Science* 57:1352-1358.
- Schevill, W.E., W.A. Watkins, and K.E. Moore. 1986. Status of *Eubalaena glacialis* off Cape Cod. Rep. Int. Whal. Comm., Special Issue 10: 79-82.
- Schick, D.F. 1979. Scallop population dynamics, scallop project 3-267 R. Compl. Rpt. Sept. 1976-May 1979. Maine Dep. Mar. Res.
- Schmitz, W.J., W.R. Wright, and N.G. Hogg. 1987. Physical oceanography. Pp. 27-56 in: J.D. Milliman and W.R. Wright (eds.), *The marine environment of the U.S. Atlantic continental slope and rise*. Jones and Bartlett Publishers, Inc., Boston, MA.
- Schoellhamer, D.H. 1996. Anthropogenic sediment resuspension mechanisms in a shallow microtidal estuary. *Estuarine, Coastal and Shelf Science* 45(5):533-548.
- Schwinghamer, P., D.C. Gordon, Jr., T.W. Rowell, J. Prena, D.L. McKeown, G. Sonnichsen, and J.Y. Guigne. 1998. Effects of experimental otter trawling on surficial sediment properties of a sandy-bottom ecosystem of the Grand Banks of Newfoundland. *Conservation Biology* 12(6):1215-1222.
- Seipt, I., P.J. Clapham, C.A. Mayo, and M.P. Hawvermale. 1990. Population characteristics of individually identified fin whales, *Balaenoptera physalus*, in Massachusetts Bay. *Fish. Bull.* 88:271-278.

- Serchuk, F.M., P. W. Wood, J.A. Posgay, and B.E. Brown. 1979. Assessment and status of sea scallop (*Placopecten magellanicus*) populations of the northeast coast of the United States. *Proc. Natl. Shellfish. Assoc.* 69:161-191.
- Serchuk, F.M., P.W. Wood, Jr. and R.S. Rak. 1982. Review and assessment of the Georges Bank, Mid-Atlantic and Gulf of Maine Atlantic sea scallop (*Placopecten magellanicus*) resources. U.S. Natl. Mar. Fish. Serv. Northeast Fish. Cent. Woods Hole Lab. Ref. Doc. 82-06, 132 p.
- Shepard, F.P., N.F. Marshall, P.A. McLoughlin, and F.G. Sullivan. 1979. Currents in submarine canyons and other sea valleys. American Association of Petroleum and Geology, Studies in Geology No. 8.
- Sherman, K.J., N.A. Jaworski, T.J. Smayda (eds). 1996. The Northeast Shelf Ecosystem – Assessment, Sustainability, and Management. Blackwell Science, Inc. Cambridge, MA. 564 p.
- Shoop, C.R. and R.D. Kenney. 1992. Seasonal distributions and abundance of loggerhead and leatherback sea turtles in waters of the northeastern United States. *Herpetol. Monogr.* 6: 43-67.
- Simenstad, C.A. 1990. Summary and conclusions from workshop and working group discussions. Pp. 144-152 in: Simenstad, C.A. (ed.). Effects of Dredging on Anadromous Pacific Coast Fishes. Workshop Proceedings, Seattle, September 8-9, 1988. Report of Washington Sea Grant Program.
- Smith, E., M.A. Alexander, M.M. Blake, L. Gunn, P.T. Howell, M.W. Johnson, R.E. MacLeod, R.F. Sampson, D.G. Simpson, W.H. Webb, L.L. Stewart, P.J. Auster, N.K. Bender, K. Buchholz, J. Crawford, and T.J. Visel. 1985. A study of lobster fisheries in Connecticut waters of Long Island Sound with special reference to the effects of trawling on lobsters. Unpublished report, Connecticut Department of Environmental Protection, Marine Fisheries Program, Hartford, CT.
- Smith, S.J. 1997. Bootstrap confidence limits for groundfish trawl survey estimates of mean abundance. *Can. J. Fish. Aquat. Sci.* 54:616-630.
- Smolowitz, R. 1998. Bottom tending gear used in New England. In: Effects of Fishing Gear on the Sea Floor of New England (E.L. Dorsey and J. Pederson, eds). Conservation Law Foundation, Boston, Massachusetts.
- Smolowitz, R. J., P. J. Struhsaker and W. D. DuPaul. 2001. Dredge Modifications to Reduce Groundfish Catches in the NW Atlantic Sea Scallop Fishery. Semi-Annual Report: NMFS/NOAA Grant #NA16FM1032.
- Smolowitz, R. J., P. J. Struhsaker, C. Goudey and H. Kite-Powell. 1997. Result of Gear Modification Test to Reduce Bycatches of Commercial Finfish in Sea Scallop Dredges. Final Report: NMFS/NOAA Grant #NA66FD0026.
- Sparks-McConkey, P.J. and L. Watling. 2001. Effects on the ecological integrity of a soft-bottom habitat from a trawling disturbance. *Hydrobiologia* 456:73-85.
- Spotila, J.R., A.E. Dunham, A.J. Leslie, A.C. Steyermark, P.T. Plotkin and F.V. Paladino. 1996. Worldwide population decline of *Dermodochelys coriacea*: are leatherback turtles going extinct? *Chelonian Conservation and Biology* 2: 209-222.
- Spotila, J.R., P.T. Plotkin, and J.A. Keinath. 1998. In water population survey of sea turtles of Delaware Bay. Unpublished Report. Final Report to NOAA Fisheries Office of Protected Resources for work conducted under Contract No. 43AANF600211 and NMFWS Permit No. 1007 by Drexel University, Philadelphia, Penna., 21 pp.

- Squires, H.J. 1962. Giant scallops in Newfoundland coastal waters. *Bull. Fish. Res. Bd. Can.* 135, 29 p.
- Steimle, F.W. and C. Zetlin. 2000. Reef habitats in the middle Atlantic bight: abundance, distribution, associated biological communities, and fishery resource use. *Marine Fisheries Review* 62(2):24-42.
- Steimle, F.W., C.A. Zetlin, P.L. Berrien, and S. Chang. 1999a. Essential fish habitat source document: black sea bass, *Centropristis striata*, life history and habitat characteristics. NOAA Tech. Mem. NMFS-NE-143. National Marine Fisheries Service Northeast Fisheries Science Center, Woods Hole, MA. 42 p.
- Steimle, F.W., C.A. Zetlin, P.L. Berrien, D.L. Johnson and S. Chang. 1999b. Essential fish habitat source document: tilefish, *Lopholatilus chamaeleonticeps*, life history and habitat characteristics. NOAA Tech. Mem. NMFS-NE-152. National Marine Fisheries Service Northeast Fisheries Science Center, Woods Hole, MA. 30 p.
- Steimle, F.W., C.A. Zetlin and S. Chang. 2001. Essential fish habitat source document: red crab, *Chaceon (Geryon) quinquegens*, life history and habitat characteristics. NOAA Tech. Mem. NMFS-NE-163. National Marine Fisheries Service Northeast Fisheries Science Center, Woods Hole, MA. 36 p.
- Steimle, F.W., W.W. Morse, P.L. Berrien, D.L. Johnson. 1999d. Essential fish habitat source document: red hake, *Urophycis chuss*, life history and habitat characteristics. NOAA Tech. Mem. NMFS-NE-133. National Marine Fisheries Service Northeast Fisheries Science Center, Woods Hole, MA. 34 p.
- Steimle, F.W., W.W. Morse, P.L. Berrien, D.L. Johnson, and C.A. Zetlin. 1999e. Essential fish habitat source document: ocean pout, *Macrozoarces americanus*, life history and habitat characteristics. NOAA Tech. Mem. NMFS-NE-129. National Marine Fisheries Service Northeast Fisheries Science Center, Woods Hole, MA. 26 p.
- Steimle, F.W., W.W. Morse, and D.L. Johnson. 1999c. Essential fish habitat source document: goosefish, *Lophius americanus*, life history and habitat characteristics. NOAA Tech. Mem. NMFS-NE-127. National Marine Fisheries Service Northeast Fisheries Science Center, Woods Hole, MA. 31 p.
- Steinback, Scott. 1998. Input/Output Model of the Northeast Region's Sea Scallop Harvesting Sector, NOAA/NMFS, Woodshole, Economic Analysis Division.
- Stephan, C.D., R.L. Peuser and M.S. Fonseca. 2000. Evaluating fishing gear impacts to submerged aquatic vegetation and determining mitigation strategies. ASMFC Habitat Management Series No. 5. Atlantic States Marine Fisheries Commission, Washington, DC. 38 p.
- Steves, B.P., R.K. Cowen, and M.H. Malchoff. 1998. Settlement and nursery habitats for demersal fishes on the continental shelf of the New York Bight. *U.S. Fisheries Bulletin* 98:167-188.
- Stewart, P.L. and S.H. Arnold 1994. Environmental requirements of the sea scallop (*Placopecten magellanicus*) in eastern Canada and its response to human impacts. *Can. Tech. Rep. Fish. Aquat. Sci.* 2005: 1-36.
- Stokesbury, K.D.E. 2002. Estimation of sea scallop abundance in closed areas of Georges Bank, USA. *Trans. Am. Fish. Soc.* 131: 1081-1092.
- Stokesbury, K.D.E. and J.H. Himmelman. 1993. Spatial distribution of the giant scallop *Placopecten magellanicus* in unharvested beds in the Baie des Chaleurs, Québec. *Mar. Ecol. Prog. Ser.* Vol. 96: 159-168.

- Stokesbury, K.D.E. and J.H. Himmelman. 1996. Experimental examination of movement of the giant scallop, *Placopecten magellanicus*. *Mar. Biol.* 124: 651-660.
- Stone, H., C. Legault, S. Cadrin, S. Gavaris, J. Neilson, and P. Perley. 2001. Stock assessment of Georges Bank (5Zjmnh) yellowtail flounder for 2001. Canada DFO Res. Doc. 2001/068.
- Stone, S.L., T.A. Lowery, J.D. Field, S.H. Jury, D.M. Nelson, M.E. Monaco, C.D. Williams, and L. Andreasen. 1994. Distribution and abundance of fishes and invertebrates in mid-Atlantic estuaries. ELMR Rep. No. 12. NOAA/NOS Strategic Environmental Assessments Division, Silver Spring, MD 280 p.
- Stoner, A.W., J.P. Manderson and J.P. Pessutti 2001. Spatially explicit analysis of estuarine habitat for juvenile winter flounder: combining GAM and GIS. *Journal of Experimental Marine Biology and Ecology* 213:253-271.
- Stumpf, R.P. and R.B. Biggs. 1988. Surficial morphology and sediments of the continental shelf of the middle Atlantic bight. Pp. 51-72 in: A.L. Pacheco (ed.), *Characterization of the middle Atlantic water management unit of the northeast regional action plan*. NOAA Technical Memorandum NMFS-F/NEC-56. Woods Hole, MA., 322 p.
- Swingle, W.M., S.G. Barco, T.D. Pitchford, W.A. McLellan and D.A. Pabst. 1993. Appearance of juvenile humpback whales feeding in the nearshore waters of Virginia. *Mar. Mammal Sci.* 9:309-315.
- Terwilliger, K. and J.A. Musick. 1995. Virginia sea turtle and marine mammal conservation team. Management plan for sea turtles and marine mammals in Virginia. Final Rept to NOAA, 56 pp.
- Thayer, Pete. Maine Department of Marine Resources.
- Theroux, R.B. and M.D. Grosslein. 1987. Benthic fauna. Pp. 283-195 in: R.H. Backus (ed.), *Georges Bank*. MIT Press, Cambridge, MA.
- Theroux, R.B. and R.L. Wigley. 1998. Quantitative composition and distribution of the macrobenthic invertebrate fauna of the continental shelf ecosystems of the northeastern United States. NOAA Technical Report NMFS 140. U.S. Dept. of Commerce, Seattle, WA. 240 p.
- Thompson, W.F. and F.H. Bell. 1934. Biological statistics of the Pacific halibut fishery. 2. Effects of changes in intensity upon total yield and yield per unit gear. *Rep. Int. Pac. Halibut Comm.* 8.
- Thouzeau, G., G. Robert, and S.J. Smith 1991. Spatial variability in distribution and growth of juvenile and adult sea scallops *Placopecten magellanicus* (Gmelin) on eastern Georges Bank (northwest Atlantic). *Mar. Ecol. Progr. Ser.* 74: 205-218.
- Thrush, S.F., J.E. Hewitt, V.J. Cummings, and P.K. Dayton. 1995. The impact of habitat disturbance by scallop dredging on marine benthic communities: What can be predicted from the results of experiments? *Marine Ecology Progress Series* 129(1-3):141-150.
- Thrush, S.F., J.E. Hewitt, V.J. Cummings, P.K. Dayton, M. Cryer, S.J. Turner, G.A. Funnell, R.G. Budd, C.J. Milcurn, and M.R. Wilkinson. 1998. Disturbance of the marine benthic habitat by commercial fishing: impacts at the scale of the fishery. *Ecological Applications* 8(3):866-879.
- Townsend, D.W. 1992. An overview of the oceanography and biological productivity of the Gulf of Maine. Pp. 5-26 in: Townsend, D.W. and P.F. Larsen (eds). *The Gulf of Maine*, NOAA Coastal Ocean Program Regional Synthesis Series Number 1. Silver Spring, MD 135 p.

- Tucholke, B.E. 1987. Submarine geology. Pp. 56-113 in: J.D. Milliman and W.R. Wright (eds.), The marine environment of the U.S. Atlantic continental slope and rise. Jones and Bartlett Publishers, Inc., Boston, MA.
- Tuck, I.D., N. Bailey, M. Harding, G. Sangster, T. Howell, N. Graham and M. Breen. 2000. The impact of water jet dredging for razor clams, *Ensis* spp., in a shallow sandy subtidal environment. *Journal of Sea Research* 43:65-81.
- Tuck, I.D., S.J. Hall, M.R. Robertson, E. Armstrong, and D.J. Basford. 1998. Effects of physical trawling disturbance in a previously unfished sheltered Scottish sea loch. *Marine Ecology Progress Series* 162:227-242.
- Tupper, M. and R. G. Boutilier. 1995. Effects of habitat on settlement, growth, and postsettlement survival of Atlantic cod (*Gadus morhua*). *Canadian Journal of Fisheries and Aquatic Science* 52:1834-1841.
- Turtle Expert Working Group (TEWG). 1998. An assessment of the Kemp's ridley (*Lepidochelys kempii*) and loggerhead (*Caretta caretta*) sea turtle populations in the Western North Atlantic. NOAA Technical Memorandum NMFS-SEFSC-409. 96 pp.
- Turtle Expert Working Group (TEWG). 2000. Assessment update for the Kemp's ridley and loggerhead sea turtle populations in the western North Atlantic. U.S. Dep. Commer. NOAA Tech. Mem. NMFS-SEFSC-444, 115 pp.
- USFWS. 1997. Synopsis of the biological data on the green turtle, *Chelonia mydas* (Linnaeus 1758). Biological Report 97(1). U.S. Fish and Wildlife Service, Washington, D.C. 120 pp.
- USFWS and NMFS. 1992. Recovery plan for the Kemp's Ridley sea turtle (*Lepidochelys kempii*). National Marine Fisheries Service, St. Petersburg, FL. 40 p.
- Valentine, P. 1998. Brief notes on habitat geology and clay pipe habitat on Stellwagen Bank. Pages 119-120 in Dorsey, E.M. and J. Pederson, eds. *Effects of Fishing Gear on the Sea Floor of New England*. Conservation Law Foundation, Boston, Massachusetts.
- Valentine, P.C., ed., 2002, Maps showing sea floor topography, sun-illuminated sea floor topography, and backscatter intensity of Quadrangles 1 and 2 in the Great South Channel region, western Georges Bank: U.S. Geological Survey Geologic Investigations Series Map I-2698, scale 1:25,000, one CD-ROM.
- Valentine, P.C. and R.G. Lough. 1991. The sea floor environment and the fishery of eastern Georges bank. Dept. of Interior, U.S. Geological Survey, Open File Report 91-439.
- Valentine, P.C., E.W. Strom, R.G. Lough, and C.L. Brown. 1993. Maps showing the sedimentary environment of eastern Georges bank. U.S. Geological Survey, Miscellaneous Investigations Series, Map I-2279-B, scale 1:250,000.
- Van Dolah, R.F., P.H. Wendt, and N. Nicholson. 1987. Effects of a research trawl on a hard-bottom assemblage of sponges and corals. *Fisheries Research* 5:39-54.
- Van Voorhees, David and Pritchard, Elizabeth S. 2003. *Fisheries of the United States, 2002*. US Dept. Commerce, National Marine Fisheries Service, Silver Spring, MD 126 pp.
- Veale, L.O., A.S. Hill, S.J. Hawkins, and A.R. Brand. 2000. Effects of long-term physical disturbance by commercial scallop fishing on subtidal epifaunal assemblages and habitats. *Marine Biology* 137(2):325-337.

- Wallace, D.E. 1997. The molluscan fisheries of Maine. NOAA Tech. Rept. NMFS 127:63-85
- Walsh, H.J., D.S. Peters, and D.P. Cyrus. 1999. Habitat utilization by small flatfishes in a North Carolina estuary. *Estuaries* 22(3B):803-813.
- Waring, G.T., C.P. Fairfield, C.M. Ruhsam, and M. Sano. 1993. Sperm whales associated with Gulf Stream features off the northeastern USA shelf. *Fish. Oceanogr.* 2(2):101-105.
- Waring, G.T., J.M. Quintal, S.L. Swartz (eds). 2000. U.S. Atlantic and Gulf of Mexico marine mammal stock assessments - 2000. NOAA Technical Memorandum NMFS-NE-162.
- Waring, G.T., J.M. Quintal, S.L. Swartz (eds). 2001 Draft U.S. Atlantic and Gulf of Mexico marine mammal stock assessments - 2001. NOAA Technical Memorandum.
- Watkins, W.A., and W.E. Schevill. 1982. Observations of right whales (*Eubalaena glacialis*) in Cape Cod waters. *Fish. Bull.* 80(4): 875-880.
- Watkins, W.A., K.E. Moore, J. Sigurjonsson, D. Wartzok, and G. Notarbartolo di Sciara. 1984. Fin whale (*Balaenoptera physalus*) tracked by radio in the Irminger Sea. *Rit Fiskideildar* 8(1): 1-14.
- Watling, L. 1998. Benthic fauna of soft substrates in the Gulf of Maine. Pp. 20-29 in: *Effects of fishing gear on the sea floor of New England*, E.M. Dorsey and J. Pederson (eds.). MIT Sea Grant Pub. 98-4.
- Watling, L., R.H. Findlay, L.M. Mayer, and D.F. Schick. 2001. Impact of a scallop drag on the sediment chemistry, microbiota, and faunal assemblages of a shallow subtidal marine benthic community. *Journal of Sea Research* 46:309-324.
- Welch, W. R. 1950. Growth and spawning characteristics of the sea scallop, *Placopecten magellanicus* (Gmelin), in Maine waters. M.A. Thesis. U. of Maine, Orono. 95 p.
- West, T.L., W.G. Ambrose, Jr., and G.A. Skilleter. 1994. A review of the effects of fish harvesting practices on the benthos and bycatch: implications and recommendations for North Carolina. Albemarle-Pamlico Estuarine Study, Raleigh, NC, U.S. Environmental Protection Agency and NC Department of Health, Environment and Natural Resources. Report No. 94-06. 93pp.
- Wiebe, P.H., E.H. Backus, R.H. Backus, D.A. Caron, P.M. Glibert, J.F. Grassle, K. Powers, and J.B. Waterbury. 1987. Biological oceanography. Pp. 140-201 in: J.D. Milliman and W.R. Wright (eds), *The marine environment of the U.S. Atlantic continental slope and rise*. Jones and Bartlett Publishers, Inc., Boston, MA.
- Wigley, Susan E. 1996. The Lorenz curve method applied to NEFSC bottom trawl survey data, A report of Northeast Regional Stock Assessment Workshop No. 21. Northeast Fisheries Science Center, Woods Hole, MA. Center Reference Document CRD 96-05f.
- Wigley, R.L. and R.B. Theroux. 1981. Atlantic continental shelf and slope of the United States – macrobenthic invertebrate fauna of the middle Atlantic bight region – faunal composition and quantitative distribution. Geological Survey Professional Paper 529-N, United States Department of the Interior. 198 p.
- Wildish, D.J. and A.M. Saulnier 1992. The effect of velocity and flow direction on the growth of juvenile and adult giant scallops. *J. Exp. Mar. Biol. Ecol.* 155: 133-143.

- Winn, H.E., C.A. Price, and P.W. Sorensen. 1986. The distributional biology of the right whale (*Eubalaena glacialis*) in the western North Atlantic. *Rep. Int. Whal. Comm.. Spec. Iss.* 10:129-138.
- Witman, J.D. 1998. Natural disturbance and colonization on subtidal hard substrates in the Gulf of Maine. Pages 30-37 in E.M. Dorsey and J. Pederson, editors, *Effects of Fishing Gear on the Sea Floor of New England*, Conservation Law Foundation, Boston, Massachusetts.
- Woods Hole Oceanographic Institute, 2001. *Second Symposium on Fisheries, Oceanography and Society, Marine Protected Areas: Design and implementation for Conservation and Fisheries Restoration*, 68p.
- Worthington, L.V. 1976. On the North Atlantic circulation. *Johns Hopkins Oceanographic Studies No. 6*. The Johns Hopkins University Press, Baltimore, MD. 110 p.
- Wright, W.R. and L.V. Worthington. 1970. The water masses of the North Atlantic Ocean: a volumetric census of temperature and salinity. *Serial Atlas of the Marine Environment*. American Geological Society Folio No. 19.
- Wynne, K. and M. Schwartz. 1999. *Guide to marine mammals and turtles of the U.S. Atlantic and Gulf of Mexico*. Rhode Island Sea Grant, Narragansett. 115pp.
- Yeung, C. 1999. Estimates of marine mammal and marine turtle bycatch by the U.S. Atlantic pelagic longline fleet in 1998. U.S Dep. Comm. NOAA Tech. Memo. NMFS-NEFSC-430, 26pp.

## 13 INDEX

### B

Barndoor skate, 55  
 broken trip, iii, 4, 5, 6, 7, 15, 16, 18, 19, 23, 24, 25, 26, 27, 29, 64, 65, 66, 67, 86, 87, 88, 90, 1, 4, 5, 6, 9, 10, 11, 12, 14, 15, 16, 17, 18, 19, 21, 25, 26, 27, 28, 29, 34, 35, 39, 40, 42, 43, 44, 45, 46

### C

Closed Area I, 21  
 Cod, 55  
 Communities, 7, 10, 91, 3, 5, 11, 16, 79  
 costs of VMS, 22  
 Council, 20

### D

Days-at-sea (DAS), 22, 23, 24  
 Distribution, 60  
 Dredges, 55

### E

Economic Impact, 90, 34

Framework Adjustment 17  
 March 11, 2005

EFH, 7, 9, 10, 13, 14, 52, 53, 54, 55, 57, 65, 3, 4, 6, 10, 19, 20, 21, 22, 23, 24, 25, 26, 27  
 Essential Fish Habitat, 20, 55, 59, 22, 24

### F

Flounder: yellowtail, 57

### G

general category, iii, 4, 5, 6, 8, 13, 15, 16, 17, 18, 19, 21, 22, 23, 24, 25, 21, 22, 27, 30, 31, 32, 33, 35, 37, 38, 39, 41, 42, 43, 44, 45, 46, 47, 51, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 88, 89, 90, 91, 92, 1, 2, 3, 5, 6, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 23, 25, 26, 27, 28, 29, 31, 33, 34, 35, 36, 37, 38, 40, 41, 42, 43, 44, 45, 46, 53, 62  
 general category permit, 4, 6, 15, 16, 17, 19, 22, 24, 21, 22, 62, 68, 70, 78, 79, 84, 90, 11, 14, 16, 20, 31, 36, 37, 38, 41, 42, 46  
 Georges Bank, 21

### H

Habitat, 7, 9, 10, 14, 20, 52, 54, 57, 65, 3, 4, 10, 20, 21, 22, 31, 81, 86, 87, 89, 92, 95, 97  
 Habitat impacts, 53