

8.0 LIST OF PUBLIC MEETINGS

The Council has had public opportunity for comment on development of Amendment 11 at over 30 public meetings since February 2006. These meetings have been held in various locations in the Northeast and have included Council meeting, Scallop Committee meeting, advisory panel meetings and Scallop Plan Development Team meetings. Meeting summaries and relevant motions for Amendment 11 for most of these meetings are accessible from the New England Fishery Management Council website at www.nefmc.org.

Table 216 – List of public meetings the Council held related to development of Amendment 11

DATE	MEETING	LOCATION
February 2, 2006	Council Meeting	Portland, ME
February 21, 2006	Scoping Meeting	Cape May, NJ
February 22, 2006	Scoping Meeting	Portsmouth, NH
February 23, 2006	Scoping Meeting	Hyannis, MA
March 16, 2006	Scallop Plan Development Team	Gloucester, MA
March 21, 2006	Scallop Advisory Panel	Boston, MA
March 22, 2006	General Category Scallop Advisory Panel	Boston, MA
March 31, 2006	Scallop Committee	Warwick, RI
April 5, 2006	Council Meeting	Mystic, CT
May 2, 2006	General Category Scallop Advisory Panel	Warwick, RI
May 3, 2006	Joint Scallop and General Category Scallop Advisory Panels	Warwick, RI
May 8, 2006	Scallop Plan Development Team	Falmouth, MA
May 16, 2006	Scallop Committee	Plymouth, MA
June 14, 2006	Council Meeting	Newport, RI
July 13, 2006	Scallop Plan Development Team	Marlborough, MA
July 31, 2006	Scallop Committee	Revere, MA
September 6, 2006	Scallop Plan Development Team	Falmouth, MA
September 13, 2006	Scallop Committee	Taunton, MA
September 27, 2006	Council Meeting	Peabody, MA
October 25, 2006	Scallop Plan Development Team	Falmouth, MA
January 4, 2007	Scallop Plan Development Team	Falmouth, MA
January 19, 2007	Scallop Committee	Providence, RI
February 7, 2007	Council Meeting	Portsmouth, NH
March 1, 2007	Scallop Plan Development Team	Gloucester, MA
March 19, 2007	Joint Scallop and General Category Scallop Advisory Panels	Warwick, RI
March 20, 2007	Scallop Committee	Warwick, RI
April 11, 2007	Council Meeting	Mystic, CT
May 16, 2007	DSEIS Public Hearing	Hyannis, MA
May 17, 2007	DSEIS Public Hearing	Fairhaven, MA

May 21, 2007	DSEIS Public Hearing	Ellsworth, ME
May 22, 2007	DSEIS Public Hearing	Durham, NH
May 29, 2007	DSEIS Public Hearing	Newport News, VA
May 30, 2007	DSEIS Public Hearing	Manahawkin, NJ
June 6, 2007	Scallop Committee	Plymouth, MA
June 20, 2007	Council Meeting	Portland, ME

9.0 REFERENCES

- Abernathy, A., editor. 1989. Description of the Mid-Atlantic environment. U.S. Dep. Interior, Minerals Manage. Ser., Herndon, VA. 167 p. + appendices.
- Almeida, F., T. Sheehan, and R. Smolowitz. 1994. Atlantic sea scallop, *Placopecten magellanicus*, maturation on Georges Bank during 1993. NEFSC Ref. Doc. 94-13.
- Auster, P.J. 2002. Representation of biological diversity of the Gulf of Maine region at Stellwagen Bank National Marine Sanctuary (Northwest Atlantic): patterns of fish diversity and assemblage composition. In: Bondrup-Nielson, S., Herman, T., Munro, N.W.P., Nelson, G., Willison, J.H.M., editors. Managing protected areas in a changing world. Science and Management of Protected Areas Association, Wolfville, Nova Scotia. p. 1096-1125.
- Auster, P.J., K. Joy, and P.C. Valentine. 2001. Fish species and community distributions as proxies for seafloor habitat distributions: the Stellwagen Bank National Marine Sanctuary example (Northwest Atlantic, Gulf of Maine). Environ. Biol. Fishes 60: 331-346.
- Auster, P.J. 1998. A conceptual model of the impacts of fishing gear on the integrity of fish habitats. Conserv. Biol. 12: 1198-1203.
- Auster, P.J. and R.W. Langton. 1999. The effects of fishing on fish habitat. In: Benaka, L., editor. Fish habitat: essential fish habitat and rehabilitation. Am. Fish. Soc. Symp. 22., Bethesda, MD. p. 150-187.
- Backus, R.H. 1987. Georges Bank. Cambridge, MA: Massachusetts Inst. Tech. Press. 593 p.
- Beardsley, R.C., B. Butman, W.R. Geyer, and P. Smith. 1996. Physical oceanography of the Gulf of Maine: an update. In: Wallace, G.T, Braasch, E.F., editors. Proceedings of the Gulf of Maine ecosystem dynamics scientific symposium and workshop. Reg. Assn. for Res. on the Gulf of Maine (RARGOM), Rep. 97-1. p. 39-52.
- Boesch, D.F. 1979. Benthic ecological studies: macrobenthos. Chapter 6 in: Middle Atlantic outer continental shelf environmental studies. Conducted by Virginia Inst. Mar. Stud. under contract AA550-CT6062 with U.S. Dep. Interior, Bur. Land Manage. 301 p.
- Bourne, N. 1964. Scallops and the offshore fishery of the Maritimes. *Bull. Fish. Res. Bd. Canada*. No. 145, 60p.

Braun-McNeill, J., and S.P. Epperly. 2004. Spatial and temporal distribution of sea turtles in the western North Atlantic and the U.S. Gulf of Mexico from Marine Recreational Fishery Statistics Survey (MRFSS). *Mar. Fish. Rev.* 64(4):50-56.

Brooks, D.A. 1996. Physical oceanography of the shelf and slope seas from Cape Hatteras to Georges Bank: a brief overview. In: Sherman, K., Jaworski, N.A., Smayda, T.J., editors. *The northeast shelf ecosystem – assessment, sustainability, and management.* Cambridge, MA: Blackwell Science. p. 47-75.

Brown, B. 1993. A classification system of marine and estuarine habitats in Maine: an ecosystem approach to habitats. Part I: Benthic habitats. *Maine Nat. Areas Prog., Dep. of Econ. Community Development.* Augusta, ME. 51 p. + 1 appendix.

Caddy, J.F. 1968. Underwater observations on scallop (*Placopecten magellanicus*) behavior and drag efficiency. *J. Fish. Res. Bd. Canada.* 25(10): 2123-2141.

Cahoon, L.B. 1999. The role of benthic microalgae in neritic ecosystems. *Oceanogr. Mar. Biol. Ann. Rev.* 37: 47-86.

Colvocoresses, J.A. and J.A. Musick. 1984. Species associations and community composition of Middle Atlantic Bight continental shelf demersal fishes. *Fish. Bull. (U.S.)* 82: 295-313.

Conkling, P.W., ed. 1995. *From Cape Cod to the Bay of Fundy: an environmental atlas of the Gulf of Maine.* MIT Press, Cambridge, MA. 272 p.

Cook, S.K. 1988. Physical oceanography of the Middle Atlantic Bight. In: Pacheco, A.L., editor. *Characterization of the middle Atlantic water management unit of the northeast regional action plan.* NOAA Tech. Mem. NMFS-F/NEC-56. p. 1-50.

Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. *Classification of wetlands and deepwater habitats of the United States.* U.S. Fish Wildl. Ser. FWS/OBS-79/31. Washington, DC. 103 p.

Dadswell, M.J. and D. Weihs. 1990. Size-related hydrodynamic characteristics of the giant sea scallop, *Placopecten magellanicus* (Bivalvia: Pectinidae) *Can. J. Zool.* 68: 778-785.

Dibacco, C., G. Robert, and J. Grant. 1995. Reproductive cycle of the sea scallop, *Placopecten magellanicus* (Gmelin, 1971), on northeastern Georges Bank. *J. Shellfish Res.* 14:59-69.

Dorsey, E.M. 1998. Geological overview of the sea floor of New England. In: Dorsey, E.M., Pederson, J., editors. *Effects of fishing gear on the sea floor of New England.* MIT Sea Grant Pub. 98-4. p. 8-14.

DuPaul, W.D., J.E. Kirlkey and A.C. Schmitzer. 1989. Evidence of a semiannual reproductive cycle for the sea scallop, *Placopecten magellanicus* (Gmelin, 1791), in the Mid-Atlantic region. *J. Shellfish Res.* 8:173-178.

EPA/NOAA Team on Near Coastal Waters. 1987. Strategic assessment of near coastal waters-northeast case study. NOAA/NOS/Strategic Assessment Branch, Rockville, MD. 114 p.

Gabriel, W. 1992. Persistence of demersal fish assemblages between Cape Hatteras and Nova Scotia, northwest Atlantic. *J. Northwest Atl. Fish. Sci.* 14: 29-46.

Garrison, L.P. 2000. Spatial and dietary overlap in the Georges Bank groundfish community. *Can. J. Fish. Aquat. Sci.* 57:1679-1691.

Garrison, L.P. 2001. Spatial patterns in species composition in the Northeast United States continental shelf fish community during 1966-1999. In: Spatial processes and management of fish populations: proceedings of the 17th Lowell Wakefield Symposium. Alaska Sea Grant Publ. AK-SG-01-02:513-537.

Garrison, L.P. and J.S. Link. 2000. Fishing effects on spatial distribution and trophic guild structure in the Georges Bank fish community. *ICES J. Mar. Sci.* 57: 723-730.

Harley, M.T. and S. Findlay. 1994. Photosynthesis-irradiance relationships for three species of submerged macrophytes in the tidal freshwater Hudson River. *Estuaries* 17: 200-205.

Hart D. and P. Rago. 2006. Long-term dynamics of U.S. Atlantic Sea Scallop *Placopecten magellanicus* Populations. *North American Journal of Fisheries Management* 26:490-501.

Hart D.R. and A.S. Chute. 2004. Essential Fish Habitat Source Document: Sea Scallop, *Placopectenmagellanicus*, Life History and Habitat Characteristics (2nd ed.), NOAA/NMFS Tech. Mem. NE-198.

Hart, D.R. 2006. Sea scallop stock assessment update for 2005. NEFSC Reference Document 06-20.

Harvey, H.R. 1994. Fatty acids and sterols as source markers of organic matter in sediments of the North Carolina continental slope. *Deep-Sea Res.* 41: 783-796.

Hirth, H.F. 1997. Synopsis of the biological data of the green turtle, *Chelonia mydas* (Linnaeus 1758). USFWS Biological Report 97(1). 120pp.

James, M.C., R.A. Myers, and C.A. Ottenmeyer. 2005a. Behaviour of leatherback sea turtles, *Dermochelys coriacea*, during the migratory cycle. *Proc. R. Soc. B*, 272: 1547-1555.

Keinath, J.A., J.A. Musick, and R.A. Byles. 1987. Aspects of the biology of Virginias sea turtles: 1979-1986. *Virginia J. Sci.* 38(4): 329-336.

- Kelley, J.T. 1998. Mapping the surficial geology of the western Gulf of Maine. In: Dorsey, E.M., Pederson, J., editors. Effects of fishing gear on the seafloor of New England. Boston, MA: Conservation Law Foundation. MIT Sea Grant Pub. 98-4. p. 15-19.
- Kenney, R.D. 2002. North Atlantic, North Pacific, and Southern hemisphere right whales. In: W.F.Perrin, B. Wursig, and J.G.M. Thewissen (eds.), Encyclopedia of Marine Mammals. Academic Press, CA. pp. 806-813.
- Lough, R.G. and D.C. Potter. 1993. Vertical distribution patterns and diel migrations of larval and juvenile haddock *Melanogrammus aeglefinus* and Atlantic cod *Gadus morhua*. Fish. Bull. (U.S.) 91: 281-303.
- MacDonald, B.A. and R.J. Thompson. 1986. Production, dynamics and energy partitioning in two populations of the giant scallop *Placopecten magellanicus* (Gmelin). J. Exp. Mar. Biol. Ecol. 101: 285-299.
- Mahon, R., S.K. Brown, K.C.T. Zwanenburg, D.B. Atkinson, K.R. Buja, L. Claflin, G.D. Howell, M.E. Monaco, R.N. O'Boyle, and M. Sinclair. 1998. Assemblages and biogeography of demersal fishes of the east coast of North America. Can. J. Fish. Aquat. Sci. 55: 1704-1738.
- Morreale, S.J. and E.A. Standora. 1998. Early life stage ecology of sea turtles in northeastern U.S. waters. U.S. Dep. Commer. NOAA Tech. Mem. NMFS-SEFSC-413, 49 pp.
- Morreale, S.J. and E.A. Standora. 2005. Western North Atlantic waters: Crucial developmental habitat for Kemp's ridley and loggerhead sea turtles. Chel. Conserv. Biol. 4(4):872-882.
- Mountain, D.G., R.W. Langton, and L. Watling. 1994. Oceanic processes and benthic substrates: influences on demersal fish habitats and benthic communities. In: Langton, R.W., Pearce, J.B., Gibson, J.A., editors. Selected living resources, habitat conditions, and human perturbations of the Gulf of Maine: environmental and ecological considerations for fishery management. NOAA Tech. Mem. NMFS-NE-106. p. 20-25.
- Murray K.T. 2007. Estimated bycatch of loggerhead sea turtles (*Caretta caretta*) in U.S. Mid-Atlantic scallop trawl gear, 2004-2005, and in sea scallop dredge gear, 2005. US Dep Commer, Northeast Fish Sci Cent Ref Doc 07-04; 30 p.
- Musick, J.A. and C.J. Limpus. 1997. Habitat utilization and migration in juvenile sea turtles. Pp. 137-164 In: Lutz, P.L., and J.A. Musick, eds., The Biology of Sea Turtles. CRC Press, New York. 432 pp.
- NEFMC. 1998. Final Amendment #11 to the Northeast Multispecies Fishery Management Plan, #9 to the Atlantic Sea Scallop Fishery Management Plan, Amendment #1 to the Monkfish Fishery Management Plan, Amendment #1 to the Atlantic Salmon Fishery Management Plan, and components of the proposed Atlantic Herring Fishery Management Plan for Essential Fish Habitat, incorporating the environmental assessment. October 7, 1998. NEFMC.

NEFMC. 2003. Final Amendment 10 to the Atlantic Sea Scallop Fishery Management Plan with a Supplemental Environmental Impact Statement, Regulatory Impact Review, and Regulatory Flexibility Analysis. NEFMC, Newburyport, MA. Approximately 1100 pages plus 9 appendices. Available at http://www.nefmc.org/scallops/planamen/a10/final_amend_10.htm.

NEFMC. 2005. Final Framework 18 to the Atlantic Sea Scallop Fishery Management Plan with Environmental Assessment, Regulatory Impact Review, and Regulatory Flexibility Analysis. NEFMC, Newburyport, MA. Approximately 350 pages plus 6 appendices. Available at <http://www.nefmc.org/scallops/index.html>

NMFS. 2004. Sustaining and Rebuilding: National Marine Fisheries Service 2003 Report to Congress. US Dept. Commerce, NOAA, NMFS, Off. Sustainable Fisheries. 24 pp.

NMFS and U.S. Fish and Wildlife Service (USFWS). 1991a. Recovery plan for U.S. population of loggerhead turtle. National Marine Fisheries Service, Washington, D.C. 64 pp.

NMFS and USFWS. 1991b. Recovery plan for U.S. population of Atlantic green turtle. National Marine Fisheries Service, Washington, D.C. 58 pp.

NMFS and USFWS. 1992. Recovery plan for leatherback turtles in the U.S. Caribbean, Atlantic, and Gulf of Mexico. National Marine Fisheries Service, Washington, D.C. 65 pp.

NMFS and USFWS. 1995. Status reviews for sea turtles listed under the Endangered Species Act of 1973. National Marine Fisheries Service, Silver Spring, MD. 139 pp.

O'Reilly, J.E. and C. Zetlin. 1998. Seasonal, horizontal, and vertical distribution of phytoplankton chlorophyll *a* in the northeast U.S. continental shelf ecosystem. NOAA Tech. Rep. NMFS 139.

Overholtz, W.J. and A.V. Tyler. 1985. Long-term responses of the demersal fish assemblages of Georges Bank. Fish. Bull. (U.S.) 83: 507-520.

Packer, D. 2003. Northeast region. In: NOAA Fisheries, Office of Science & Technology (eds.). Our Living Oceans – Habitat. Unpublished draft manuscript, 16 September 2003. p. 49-61.

Pratt, S. 1973. Benthic fauna. In: Coastal and offshore environmental inventory, Cape Hatteras to Nantucket Shoals. Univ. Rhode Island, Mar. Pub. Ser. No. 2. Kingston, RI. p. 5-1 to 5-70.

Richardson, F.D. 1980. Ecology of *Ruppia maritima* L. in New Hampshire (USA) tidal marshes. Rhodora 82: 403-439.

Roman, C.T, N. Jaworski, F.T. Short, S. Findlay, and S. Warren. 2000. Estuaries of the Northeastern United States: habitat and land use signatures. Estuaries 23: 743-764.

Rudders, D. W.D. DuPaul, and J.E. Kirkley. 2000. A comparison of size selectivity and relative efficiency of sea scallop, *placopecten magellanicus* (Gmelin, 1791), trawls and dredges. *Journal of Shellfish Research*. 19(2): 757-764.

SAW 45. 2004. Stock Assessment Workshop for Atlantic Sea Scallop (*placopecten magellanicus*). National Marine Fisheries Service, Northeast Fisheries Science Center, Woods Hole, MA. Approximately 200 pages. Available at <http://www.nefsc.noaa.gov/nefsc/publications/crd/crd0410/scalltxt.pdf>

Schick, D.F. and S.C. Feindel. 2005 Maine scallop fishery: monitoring and enhancement. *Final Report to the Northeast Consortium (Sept. 1, 2005)*, 72 p.

Schmitz, W.J., W.R. Wright, and N.G. Hogg. 1987. Physical oceanography. In: Milliman, J.D., Wright, W.R., editors. *The marine environment of the U.S. Atlantic continental slope and rise*. Boston, MA: Jones and Bartlett Publishers Inc. p. 27-56.

Serchuck, F.M., W. Wood Jr., J.A. Posgay, and B.E. Brown. 1979. Assessment and status of sea scallop (*placopecten magellanicus*), populations off the Northeast coast of the United States. *Proceed. Nat. Shellfish Assoc.* 69:161-191.

Sherman, K., M. Grosslein, D. Mountain, D. Busch, J. O'Reilly and R. Theroux. 1988. The continental shelf ecosystem off the northeast coast of the United States. In: Postma, H., and Zilstra, J.J., editors. *Ecosystems of the world 27: Continental shelves*. Amsterdam: Elsevier. p. 279-337.

Sherman, K., N.A. Jaworski, T.J. Smayda, editors. 1996. *The northeast shelf ecosystem – assessment, sustainability, and management*. Cambridge, MA.: Blackwell Science, 564 p.

Sherman K., J. O'Reilly, and J. Kane. 2003. Assessment and sustainability of the U.S. Northeast Shelf Ecosystem. In: Hempel, G., Sherman, K., editors. *Large marine ecosystems of the world: trends in exploitation, protection, and research*. Elsevier. p. 93-120.

Shoop, C.R. and R.D. Kenney. 1992. Seasonal distributions and abundance of loggerhead and leatherback sea turtles in waters of the northeastern United States. *Herpetol. Monogr.* 6: 43-67.

Steimle, F.W. and C. Zetlin. 2000. Reef habitats in the middle Atlantic bight: abundance, distribution, associated biological communities, and fishery resource use. *Mar. Fish. Rev.* 62: 24-42.

Stevenson, D. and E. Braasch, editors. 1994. *Gulf of Maine habitat: workshop*

StormCenter Communications, Inc. 2004. *Watersheds: where the atmosphere meets the earth. - Regional watersheds – New England; Mid-Atlantic; South Atlantic-Gulf*. <http://www.watershed.interactive-environment.com/multi/www/index.php>

Stumpf, R.P. and R.B. Biggs. 1988. Surficial morphology and sediments of the continental shelf of the Middle Atlantic Bight. In: Pacheco, A.L., editor. Characterization of the middle Atlantic water management unit of the northeast regional action plan. NOAA Tech. Mem. NMFS-F/NEC-56. p. 51-72.

Thayer, G.W., W.J. Kenworthy, and M.S. Fonseca. 1984. The ecology of eelgrass meadows of the Atlantic coast: a community profile. U.S. Dep. Int., U.S. Fish Wildl. Serv., Biol. Serv. Prog. FWS/OBS-84/02.

Theroux, R.B. and M.D. Grosslein. 1987. Benthic fauna. In: Backus, R.H., Bourne, D.W., editors. Georges Bank. Cambridge, MA: MIT Press. p. 283-295.

Theroux, R.B. and R.L. Wigley. 1998. Quantitative composition and distribution of the macrobenthic invertebrate fauna of the continental shelf ecosystems of the northeastern United States. NOAA Tech. Rep. NMFS 140. 240 p.

Townsend, D.W. 1992. An overview of the oceanography and biological productivity of the Gulf of Maine. In: Townsend, D.W., Larsen, P.F., editors. The Gulf of Maine. NOAA Coast. Ocean Prog. Reg. Synthesis Ser. No. 1. Silver Spring, MD. p. 5-26.

Tucholke, B.E. 1987. Submarine geology. In: Milliman, J.D., Wright, W.R., editors. The marine environment of the U.S. Atlantic continental slope and rise. Boston, MA: Jones and Bartlett Publishers Inc. p. 56-113.

Turtle Expert Working Group (TEWG). 1998. An assessment of the Kemp's ridley (*Lepidochelys kempii*) and loggerhead (*Caretta caretta*) sea turtle populations in the Western North Atlantic. NOAA Technical Memorandum NMFS-SEFSC-409. 96 pp.

Turtle Expert Working Group (TEWG). 2000. Assessment update for the Kemp's ridley and loggerhead sea turtle populations in the western North Atlantic. U.S. Dep. Commer. NOAA Tech. Mem. NMFS-SEFSC-444, 115 pp.

Tyrrell, M.C. 2005. Gulf of Maine marine habitat primer. Gulf of Maine Council on the Marine Environment. www.gulfofmaine.org. 54 p.

USFWS. 1997. Synopsis of the biological data on the green turtle, *Chelonia mydas* (Linnaeus 1758). Biological Report 97(1). U.S. Fish and Wildlife Service, Washington, D.C. 120 pp.

USFWS and NMFS. 1992. Recovery plan for the Kemp's ridley sea turtle (*Lepidochelys kempii*). NMFS, St. Petersburg, Florida.

Valentine, P.C. E.W. Strom, R.G. Lough, and C.L. Brown. 1993. Maps showing the sedimentary environment of Eastern Georges Bank. U.S. Dep. Int., U.S. Geol. Surv. Misc. Invest. Ser., Map I-2279-B; scale 1:250,000.

Wallace, D.E. 1997. The molluscan fisheries of Maine. *NOAA Tech. Rep. NMFS* 127:63-85.

Walton, C.J. 1980. Status and characterization of the sea scallop fishery of Maine. *Maine Department of Marine Resources, Research Reference Document 80/15*, 32 p.

Watling, L. 1998. Benthic fauna of soft substrates in the Gulf of Maine. In: Dorsey, E.M., Pederson, J., editors. *Effects of fishing gear on the seafloor of New England*. Boston, MA: Conservation Law Foundation. MIT Sea Grant Pub. 98-4. p. 20-29.

Wiebe, P.H., E.H. Backus, R.H. Backus, D.A. Caron, P.M. Glibert, J.F. Grassle, K. Powers, and J.B. Waterbury. 1987. Biological oceanography. In: Milliman, J.D., Wright, W.R., editors. *The marine environment of the U.S. Atlantic continental slope and rise*. Boston, MA: Jones and Bartlett Publishers Inc. p. 140-201.

Wigley, R. and T.N. Theroux. 1981. Atlantic continental shelf and slope of the United States – macrobenthic invertebrate fauna of the Middle Atlantic Bight region – faunal composition and quantitative distribution. *Geol. Surv. Prof. Pap. 529-N*. U.S. Gov. Printing Office, Washington DC. 198 p.

Worms, J. and M. Lanteigne. 1986. The selectivity of a sea scallop (*Placopecten magellanicus*) Digby dredge. *ICES C.M.* 1986/K:23. 26p.

10.0 INDEX

Amendment 10, xxi, 2, 3, 4, 67, 68, 69, 90, 91, 92, 113, 160, 179, 199, 207, 370, 406, 412, 413, 418, 419, 425, 426, 427, 485, 543
Amendment 4, 1, 7, 9, 14, 15, 47, 50, 116, 117, 373, 405, 412, 422, 423, 425, 427, 478, 483, 486, 487, 489, 490
Assessment, xxii, 7, 8, 9, 41, 42, 43, 44, 50, 69, 70, 71, 91, 118, 160, 169, 192, 426, 480, 537, 540, 541, 542, 544, 545
Atlantic herring, iii, xvi, 410, 411, 412, 460, 469, 506
Atlantic Sea Scallop, iii, iv, v, vi, vii, viii, ix, xi, xii, xiii, xiv, xv, xvi, xvii, xviii, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 13, 14, 15, 16, 17, 21, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 36, 37, 38, 39, 40, 41, 42, 43, 44, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 59, 60, 61, 62, 63, 64, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 90, 91, 92, 112, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 149, 155, 157, 158, 159, 160, 161, 165, 169, 171, 172, 174, 175, 176, 177, 179, 180, 181, 182, 183, 184, 185, 186, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 204, 205, 206, 207, 208, 209, 210, 211, 212, 214, 215, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 240, 241, 242, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 291, 297, 298, 299, 300, 301, 302, 303, 304, 306, 307, 308, 309, 312, 313, 314, 315, 316, 318, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 346, 347, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 385, 386, 387, 388, 389, 390, 391, 394, 395, 396, 397, 398, 399, 401, 402, 403, 404, 405, 406, 410, 411, 412, 413, 418, 422, 423, 425, 426, 428, 430, 432, 433, 437, 438, 439, 440, 441, 443, 444, 445, 446, 448, 450, 451, 452, 468, 469, 470, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 491, 492, 501, 506, 508, 510, 511, 513, 523, 526, 527, 531, 533, 536, 539, 540, 541, 542, 544, 546
Atlantic States Marine Fisheries Commission, 506
Barndoor skate, 92
Biomass, xviii, 2, 68, 70, 71, 73, 74, 75, 76, 77, 78, 82, 89, 98, 99, 108, 110, 117, 160, 198,

200, 224, 228, 241, 242, 258, 279, 285, 340,
 343, 366, 373, 381, 382, 413, 418, 432, 433,
 435, 440, 450, 480, 490, 510, 522, 526
 bycatch, 456, 460, 464
 Bycatch, iii, xv, 1, 2, 3, 4, 32, 51, 52, 65, 66, 69,
 115, 125, 179, 196, 197, 199, 206, 211, 215,
 218, 219, 220, 222, 265, 269, 309, 322, 361,
 362, 363, 374, 386, 395, 397, 398, 399, 401,
 402, 404, 408, 410, 412, 420, 421, 422, 423,
 425, 426, 427, 429, 451, 452, 460, 469, 476,
 479, 480, 485, 487, 491, 542
 Cod, 1, 92
 Control Date, 236
 Council, 2
 Cumulative Impacts, 409
 Days-at-sea (DAS), ix, xiv, xv, xviii, xxi, 1, 2, 3,
 4, 10, 47, 48, 49, 54, 55, 56, 62, 66, 67, 69,
 116, 118, 127, 172, 173, 174, 179, 182, 194,
 195, 196, 200, 204, 210, 212, 215, 217, 221,
 223, 227, 230, 232, 241, 258, 259, 266, 308,
 329, 338, 339, 341, 357, 360, 361, 364, 365,
 385, 387, 398, 399, 403, 405, 412, 413, 415,
 416, 417, 418, 426, 428, 441, 451, 472, 473,
 474, 479, 480, 484, 485, 487, 491, 536
 Discards, xxii, 35, 70
 Dredge, 92, 124, 125, 382, 430
Dredges, 92
 DSEIS, i, v, xix, xxi, 23, 60, 183, 190, 212, 323,
 324, 329, 335, 394, 400, 427, 475, 505, 506
 Economic Impacts, 258, 291
 EFH, xxi, 90, 91, 92
 Enforcement, 35, 37, 406, 407, 408, 409, 505
 Essential Fish Habitat, 2, 92, 413, 415, 416,
 417, 472, 473, 474
 Essential Fish Habitat (EFH), xvi, xxi, 2, 3, 4, 68,
 69, 79, 90, 91, 92, 181, 206, 207, 208, 209,
 210, 211, 212, 213, 214, 216, 410, 411, 413,
 425, 427, 429, 430, 432, 433, 434, 435, 436,
 437, 438, 443, 469, 470, 505
 Exclusive Economic Zone, v, xiv, 1, 41, 42, 55,
 116, 160, 192, 193, 217, 326, 411, 422, 431
 Federal, 1, 456
 Flounder: yellowtail, 94
 forage, 435
 Framework 18, 3, 4, 69, 71, 118, 180, 199, 200,
 229, 241, 323, 324, 338, 339, 343, 413, 418,
 543
 Full-time, 60, 117, 159, 226, 307, 330, 331, 332,
 333, 334, 335, 378
 General category, xiv, 3, 43, 55, 117, 120, 125,
 142, 143, 149, 159, 176, 226, 230, 231, 233,
 237, 244, 260, 280, 281, 286, 287, 301, 319,
 320, 328, 333, 337, 344, 345, 346, 347, 349,
 350, 351, 352, 353, 354, 358, 359, 360, 361,
 376, 379, 382, 390, 391, 403, 492
 Georges Bank, xxi, 1, 2, 51, 69, 70, 73, 74, 75,
 76, 79, 82, 83, 84, 85, 86, 87, 90, 91, 97, 98,
 100, 103, 104, 105, 107, 115, 117, 160, 161,
 164, 180, 196, 211, 217, 222, 361, 398, 412,
 418, 423, 433, 481, 539, 540, 541, 543, 545
 Gloucester, 432, 505
 goals and objectives, v
 Gulf of Maine, iii, iv, viii, xiv, xxi, 1, 10, 41, 42,
 43, 69, 70, 79, 81, 82, 83, 84, 85, 86, 90, 96,
 97, 98, 100, 101, 102, 103, 104, 105, 107,
 114, 160, 161, 162, 164, 165, 166, 180, 192,
 193, 206, 208, 209, 214, 215, 217, 221, 325,
 326, 328, 383, 396, 398, 402, 408, 469, 476,
 480, 481, 510, 533, 539, 540, 542, 544, 545,
 546
 Habitat, xxi, 92
 Habitat impacts, 91
 Habitat Impacts, 415, 472
 Haddock, 93
 Halibut, 92
 Interactive Vessel Reporting, xiv, xxi, 47, 194,
 209, 221, 329, 385, 396, 402, 408, 450, 534
 Limited access, ix, xiv, xviii, xxi, 1, 3, 10, 24, 47,
 48, 51, 64, 66, 117, 157, 159, 194, 196, 209,
 210, 224, 230, 235, 242, 258, 337, 338, 341,
 344, 345, 346, 347, 358, 359, 360, 361, 385,
 396, 403, 408, 440, 450, 482, 484, 487, 490,
 510, 526
 limited access program, iii, 457, 461, 466, 467,
 469
 Limited entry, xvi, xvii, 23, 61, 182, 185, 206,
 207, 214, 235, 388, 394, 400, 401, 407, 437,
 438, 469
 Magnuson-Stevens Fishery Conservation and
 Management Act, v, 1, 8, 9, 38, 373, 411,
 455, 461, 466, 507, 508
 Maine, 1, 180
 Maximum sustainable yield, 462, 464
 Mid-Atlantic, i, v, xxi, 1, 10, 43, 44, 70, 71, 73,
 74, 77, 78, 79, 81, 82, 83, 85, 86, 87, 88, 89,
 91, 97, 98, 108, 109, 110, 111, 112, 114, 115,
 116, 125, 126, 127, 128, 142, 143, 144, 147,
 148, 149, 155, 156, 157, 159, 160, 162, 164,
 176, 180, 186, 217, 218, 219, 223, 247, 248,
 249, 250, 252, 255, 277, 326, 328, 332, 334,
 335, 375, 376, 377, 378, 379, 382, 383, 389,
 400, 418, 422, 425, 432, 475, 481, 482, 488,
 491, 505, 506, 538, 539, 540, 541, 542, 543,
 544, 545, 546
 Mid-Atlantic Fishery Management Council, v,
 464, 505, 506
 Monkfish, 180
 National Environmental Policy Act (NEPA), iv, v,
 xxi, 35, 191, 207, 220, 383, 395, 401, 409,
 475, 504, 508
 National Marine Fisheries Service, iii, v, 505

National Marine Fisheries Service (NMFS), i, iii, v, ix, xii, xxi, 3, 4, 5, 24, 34, 35, 36, 37, 47, 54, 59, 68, 71, 114, 115, 116, 117, 161, 180, 198, 199, 201, 220, 302, 305, 330, 385, 407, 408, 409, 411, 420, 421, 422, 426, 427, 428, 429, 475, 482, 483, 491, 504, 505, 506, 507, 508, 540, 541, 542, 543, 544, 545

National Oceanographic Atmospheric Administration (NOAA), iv, v, xxi, 38, 62, 107, 199, 419, 505, 507, 508, 540, 541, 542, 543, 545

National Standard, 411

NEPA, iv, v, 475

New England Fishery Management Council, iii, iv, v, 504

NMFS, 1, 462, 464, 543

no action alternative, v

NOAA, 543

No-Action alternative, vi, xi, xii, xiii, xiv, xv, xvi, xvii, xix, 10, 26, 28, 31, 32, 33, 40, 41, 47, 48, 50, 51, 52, 53, 54, 56, 65, 181, 182, 191, 192, 193, 194, 195, 196, 197, 199, 201, 204, 206, 208, 209, 210, 211, 212, 213, 214, 218, 220, 221, 222, 223, 325, 362, 380, 381, 383, 385, 386, 387, 388, 396, 399, 400, 402, 403, 404, 406, 407, 409, 437, 438, 439, 442, 443, 445, 446, 447, 448, 449, 450, 451, 452, 453, 469

non-fishing impacts, 430, 433

Northeast Fisheries Science Center, 505

Northeast Fisheries Science Center (NEFSC), xxi, 70, 71, 98, 174, 504, 505, 508, 539, 541, 544

Observer Program, 3

Observers, 464

Occasional, v, xiv, 1, 17, 39, 40, 48, 86, 116, 117, 119, 157, 159, 195, 210, 221, 225, 226, 329, 330, 332, 334, 335, 356, 385, 403, 451, 477, 479, 484

Open Access, xvi, 9, 437

Optimum yield, 462

Overfishing, 71

Overfishing definition

Overfishing, 464

Part-time, 117, 159, 217, 307, 308, 330, 331, 332, 333, 334, 335, 378

Permit, xi, xii, xiii, xiv, xv, 13, 24, 25, 29, 30, 47, 48, 55, 119, 120, 126, 142, 143, 149, 159, 176, 194, 209, 215, 219, 277, 278, 318, 320, 330, 331, 332, 333, 337, 380, 381, 389, 443, 445, 446, 447, 450, 451, 470, 513, 531

physical environment and EFH, xvi, 411, 430, 436

Plaice, American, 92

Pollock, 93

Portland, 475

Proposed Action, iii, xvi, 410, 411, 412, 464, 465, 492, 493

protected resources, 410, 411, 412

public comment, 461

Public hearing, 475

public hearing document, 506

Rebuilding, 543

Recruitment, 1, 70, 74, 82, 95, 200

Redfish, 93

Research, 413, 419, 544

Revenue, vii, ix, 117, 118, 119, 122, 159, 177, 182, 226, 228, 230, 231, 235, 236, 237, 238, 260, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 281, 282, 283, 284, 285, 287, 290, 298, 303, 304, 307, 308, 309, 313, 314, 316, 319, 321, 332, 333, 343, 344, 346, 348, 350, 351, 355, 357, 358, 359, 362, 364, 369, 374, 388, 389, 391, 392, 393, 394, 395, 396, 397, 445, 478, 523

Rockland, 475

Safety, 304, 406

Scallop Committee, 17, 21, 41, 42, 50, 57, 62, 63, 64, 192, 476, 482, 486, 488, 505, 538

Scallop Plan Development Team (PDT), v, xxii, 4, 32, 39, 41, 42, 43, 44, 50, 52, 53, 58, 65, 66, 68, 71, 179, 181, 182, 184, 185, 197, 199, 200, 362, 394, 487, 492, 504, 505

scoping, 433, 475, 476

Scoping, vii, 7, 8, 26, 52, 62, 63, 382, 433, 475, 476, 482, 483, 486, 488, 489

Sector, xiii, xvi, xviii, 33, 34, 35, 36, 37, 38, 64, 65, 67, 190, 207, 220, 226, 258, 322, 383, 395, 401, 406, 437, 440, 448, 451, 491

Skate: barndoor, 92

Skate: thorny, 94

Social Impacts, xvii, xviii, 374, 440, 441

Southern New England, xxii, 10, 51, 58, 79, 88, 96, 98, 103, 110, 160, 164, 180, 196, 211, 361, 398

specification process, 465

Standardized Bycatch Reporting Methodology, 464

Substrate, 92

TAC, 2

Tilefish, 94

Total Allowable Catch (TAC), iii, v, vi, viii, ix, xi, xii, xiv, xv, xvi, xvii, xviii, xix, xxii, 2, 3, 7, 8, 17, 18, 21, 22, 33, 34, 36, 37, 39, 40, 41, 42, 43, 44, 47, 49, 50, 51, 52, 53, 60, 63, 64, 65, 66, 67, 179, 180, 183, 184, 185, 190, 191, 192, 193, 194, 195, 196, 197, 200, 201, 206, 207, 208, 209, 210, 211, 214, 215, 219, 220, 221, 222, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 237, 238, 242, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 279,

281, 282, 283, 285, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 303, 304, 305, 306, 309, 310, 311, 312, 313, 314, 315, 316, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 329, 335, 337, 338, 339, 341, 342, 343, 344, 345, 346, 347, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 363, 364, 374, 380, 383, 384, 385, 386, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 406, 407, 408, 423, 437, 438, 439, 440, 441, 442, 444, 445, 449, 451, 452, 469, 470, 476, 479, 484, 485, 487, 491, 511, 530

Trawl, 54, 186, 204, 212, 216, 223, 365, 382, 387, 398, 405, 409, 453, 470

Turtle, 10, 113, 114, 115, 116, 217, 218, 219, 220, 221, 412, 418, 419, 420, 421, 422, 425, 429, 541, 543, 545

Valued Ecosystem Component, xvi, xix, 410, 411, 425, 429, 437, 454

Vessel monitoring system, 463

Vessel Monitoring System, v, vi, ix, xiv, xv, xxii, 3, 9, 10, 37, 39, 41, 43, 44, 47, 48, 52, 56, 57, 63, 91, 119, 120, 142, 143, 181, 191, 192, 194, 205, 209, 212, 221, 228, 244, 262, 305, 325, 329, 384, 385, 387, 396, 402, 406, 407, 409, 450, 453, 476, 477, 478, 481, 483, 486, 513, 534

Vessel Trip Report, ix, xiv, xxii, 24, 32, 47, 58, 124, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 149, 160, 162, 166, 167, 185, 187, 188, 189, 193, 194, 305, 318, 329, 380, 385, 394

VMS, xxii, 91

Yellowtail flounder, xxii, 2, 104, 180